Index

Symbols
$PTOLEMY **E-1**
(..... 12-1
, ... 12-1, 12-8
.cshrc 2-51
.cshrc file 2-41
.emacs file A-21
.Xdefaults 2-2, 2-54
.Xdefaults file 16-2
.xinitrc file 2-2, B-2
.xsession file B-2
~ptolemy A-19

Numerics
256fft (CGC demo) **12-26**
4BitDownCounter (DE demo) **10-26**

A
Abs (C50 block) **15-5**
Abs (CG56 block) **13-7**
Abs (CGC block) **12-8**
Abs_M (SDF block) **5-26**
accelerator 2-5
ACos (C50 block) **15-5**
ACos (CG56 block) **13-7**
actions associated with star firings 3-15
actor 5-1, **E-1**
actual parameters **2-32**
ACYLOOP, SDF Scheduler option ... 5-65, 5-66, 5-68
ACYLOOP, SDF scheduler option 11-7
adaptFilter (CGC demo) 12-20, 12-21
adaptFilter (SDF demo) **5-55**
adaptFilter_multi (CGC demo) 12-21
adaptive differential pulse code modulation (ADPCM) 5-42, 5-58, 5-83
adaptive equalization 5-82
  training sequence 5-18
adaptive estimation 10-29
adaptive filtering 4-3, 5-55
adaptive quantization 10-29
Add (C50 block) **15-4**
Add (CG56 block) **13-6**
Add (CGC block) 12-8
Add (SDF block) **5-12**
Add (SR block) **10-3**
Add_M (SDF block) **5-25**, **5-44**
AddCx (C50 block) **15-4**
AddCx (CG56 block) **13-7**
AddInt (C50 block) **15-4**
AddInt (CG56 block) **13-7**
additive Gaussian white noise 5-39, 5-55
AddMotionVecs (SDF block) **5-48**
adjustableGain (CG56 CGC/S-56X galaxy) **13-6**
adjustableGain (CG56 QDM/S-56X Block) **13-6**
adjustableGainGX (CG56 S-56X block) **13-4**
adjustSchedule, target parameter 11-4
ADPCM (adaptive differential pulse code modulation) 5-58
ADPCM (CG56 S-56X demo) **13-17**
ADPCM (CGC S-56X demo) **13-18**
ADPCM speech coding 5-83
ADPCMCoder (SDF block) **5-42**
ADPCMDecoder (SDF block) **5-42**
ADPCMFromBits (SDF block) **5-42**
ADPCMToBits (SDF block) **5-42**
AF program 2-38
aheadLimit parameter 12-8
AIn (C50 block) **15-3**
Air Force 1-2
alias command 3-3, 3-6
alive (CGC demo) **12-23**
all pole filters 5-33
allowDynamic 8-2
Allpass (C50 block) **15-10**
Allpass (CG56 block) **13-13**
allPole (SDF demo) **5-55**
all-pole filters 5-55
alter-geometry, VEM 16-17
AM Transmitter (CG56 S-56X demo) **13-17**
Ammicht, E. 1-10
amortizedComm, target parameter 11-5
amplifier 5-12
amplitude modulation (AM) 5-70
analysis-synthesis filter banks 4-3
analytic (SDF demo) **5-53**
analytic signals 5-53, 5-56
And (SR block) **10-3**
animated displays 5-10
animatedLMS (CGC demo) 12-24
animatedLMS (SDF demo) **5-55**, **5-61**
animatedLMSCx (SDF demo) **5-55**, **5-61**
animation 3-11
animation command 3-3
annotated schedule 4-4, **8-1**
annotations in facets 2-45
anytype Particle type 2-20
anytype Particle type (table) 2-20
anytypeColor **2-37**
AOut (C50 block) **15-3**
applicative language 4-14
AR (auto-regressive) random process 5-81
AR (auto-regressive) random processes 5-57
Arbitrate (DE block) 10-22
arbitrator (preemptive or nonpreemptive) 10-22
Ariel 1-11
Ariel S-56X stars, CG56 ..... **13-4**

arithmetic stars, C50 ..... **15-4**
arithmetic stars, CG56..... **13-6**
arithmetic stars, SDF..... **5-12**
ARMA process..... 5-81
Arnold, E. C. 4-13
ARPA 1-2
array 2-19
array of sensors 6-19
ASCII descriptions of a Ptolemy universe 3-22
ASin (C50 block) **15-6**
ASin (CG56 block) **13-8**
assembly code synthesis..... 1-6, 4-7
asynchronous signal processing 4-4, 7-12
AT&T Bell Laboratories 1-10, 1-11, 4-13
Athena widgets..... 2-2, 2-13
ATM..... 5-54, 5-58
audioio (CGC demo) **12-27**
audiotool..... 2-38
Autocor (SDF block)..... **5-36**, *5-52*, *5-86*
autocorrelation 5-52, 5-54, 5-86
autocorrelation (SDF block)..... **5-34**
autocorrelation method 5-57, 5-84
auto-forks 2-48, 3-6, **E-1**
auto-regressive (AR) random processes 5-57
Average (SDF block) 5-2, **5-12**
AvgSqrErr (SDF block) **5-25**
AWGN (SDF block) **5-41**
AWGNchannel (SDF block)..... **5-39**

B

background execution of pigi..... A-17
balance equations 5-2, 7-3, 7-6
ball (CGC demo)..... 12-24
ballAsync (CGC demo)..... 12-24
Banerjea, A..... 1-9, 4-5, 10-1, 10-2
BarGraph (DE block) 10-11
Bartlett..... 5-7
base class..... **E-1**
basebandEquivChannel (SDF block) **5-39**, **5-41**
basic iteration 7-4
batch mode simulation 3-1
baud-rate timing recovery 7-12
BDF (boolean dataflow)..... **4-4**, **E-1**
BDF domain..... 7-1, **8-1**
bdf-CG, target *11-3*
bdf-CGC target..... 12-3, 12-13
bdf-doWhile (CGC demo) 12-25
bdf-if (CGC demo)..... 12-25
bdfTiming (BDF demo) **8-4**
beamforming 6-19
Beep (DE block)..... 10-12
behavioral modeling..... 4-7, **E-1**
Bell Labs 1-10
Bell Northern Research (BNR) 1-11
Berkeley CAD framework..... 2-21
Berkeley Camera Engineering..... 1-11, 13-4
Bhattacharyya, S. 1-10
Bhattacharyya, S. S..... 5-66, 5-67, 11-7
biased autocorrelation estimates..... 5-86
Bier, J. 1-10
Bilung Lee 5-44
Binary (SDF block) **5-49**
binaryCounter (DE demo) **10-26**
bindings 2-25, 16-7
bindings command..... 2-11
biquad 6-19
Biquad (C50 block) **15-10**
Biquad (CG56 block) **13-13**
Biquad (SDF block)..... **5-30**, *5-73*, *5-81*
BISDN (broadband integrated services digital network) 10-21
bit reversed order..... 6-12
bit_reverse (HOF demo)..... **6-12**, **6-20**
Bitar, P. 1-9, 10-1
bits (SDF block) **5-8**, **5-37**
BitsToInt (C50 block)..... **15-10**
BitsToInt (CG56 block)..... **13-12**
BitsToInt (SDF block) **5-21**
black and white monitors..... 2-42, 2-53
BlackHole (C50 block)..... **15-2**
BlackHole (CG56 block)..... **13-2**
BlackHole (CGC block) 12-5, 14-7
BlackHole (DE block) 10-8
BlackHole (SDF block) **5-5**
Blackman..... **5-7**
Blackman window 5-57
BlendImage (SDF demo)..... **5-59**
Block..... **E-1**
block **E-1**
block (DE demo) 10-30
block filtering 5-33
blockage (DE demo)..... 10-26
BlockAllPole (SDF block) **5-33**
BlockAllPole (SDF star)..... *5-55*
blockFFT (SDF star)..... **5-34**
BlockFIR (SDF block) **5-33**
BlockLattice (SDF block)..... **5-33**, *5-85*
blockname parameter..... 6-2
blockPredictor (SDF galaxy)..... **5-33**
BlockRLattice (SDF block)..... **5-33**, *5-85*
blockVocoder (SDF galaxy)..... **5-33**
blockVox (SDF demo) **5-58**
Blosim..... 1-2
BNR..... 1-11
Boolean-controlled dataflow **8-1**, 12-1, **E-1**
Bowers, R. 1-10
boxes..... 2-24, 16-3
broadband integrated services digital network (BIS-

DN)....10-21
Brodersen, R. W. 1-9
broken (SDF demo) **5-53**
Brown, D. W....4-13
Brown, R.... 1-9, 4-5, 10-2
Buck, J. 12-1
Buck, J. T.1-9, 1-12, 2-1, 3-1, 4-1, **4-4**, 5-1, 5-66, 7-1, 8-1, 10-1, 11-1, 13-1, 15-1, 17-1, A-1
buffer sizes....**7-8**, 7-10
bug reports 3-22, A-40
Burg (SDF block) 5-2, **5-34**, *5-85*
burg (SDF block)....**5-34**
Burg's method for power spectrum estimation5-57, 5-84
bus....6-3, 6-13
bus manipulation stars 6-1
busconnect command 3-3, 3-6
BusCreate (HOF block)....**6-16**
BusDeinterleave (HOF block)....**6-15**
Bush, B. 1-10, 16-1
BusInterleave (HOF block) **6-15**
busManipulations (HOF demo)....**6-19**
BusMerge (HOF block)....**6-15**
BusMerge (HOF star)....*6-20*
BusMerge block....6-1
busses....5-53
busses (HOF demo) **6-20**
BusSplit (HOF block).... *6-13*, **6-15**, **6-16**
BusToNum (SDF block)....**5-21**
butterfly (CGC demo)....12-19
butterfly (SDF demo) **5-51**
Butterworth filter 5-30, 5-77
buttons (DE demo) 10-30
buttons (SDF demo) **5-61**
bwDither (SDF demo) **5-59**

C

C code generation....1-6, 12-1
C++ code generation **5-67**
C_INCLUDE_PATH environment variable 2-52, **A-9**
CAD frameworks....2-21
CAD group 1-11
Cadence Leapfrog....14-7
calendar queue scheduling.... 1-9, 4-5, 10-2
call-processing software 4-13
cancelAction command 3-3, 3-16
canonical direct form....5-76
cascadedBiquads (HOF demo)....**6-19**
Case (DDF block)....7-9, 7-11
Case (DE star)....10-14
caseDemo (DE demo)....10-24
Cassotto, A. 1-10, 2-1, 16-1
Cathedral....4-14
CCITT Recommendation G.711 5-21
cd command 3-3, 3-14
CD Volume (CG56 S-56X demo)....**13-17**
CDtoDAT (CGC demo) **12-25**
cell in vem 16-1
CellLoad (DE block) 10-19
cell-relay network....1-7, 4-13, 10-19
CellRoute (DE block)....10-20
CellToImage (DE block)....10-20
CellUnload (DE block)....10-19
cep (SDF demo) **5-55**
cepstrum 5-56
cexp (CGC galaxy)....**12-8**
CG domain *11-1*, **E-1**
CG56 (Code generation for the Motorola DSP 56000) **E-1**
CG56 (Code generation for the Motorola DSP56000). **4-7**
CG56 Simulator integer file input....13-4
CG96 ....4-14, **E-2**
CGC
EECS20, Introduction to Real-Time Systems. 12-26
CGC (Code generation in C)....**4-6**, **E-2**
CGC domain....4-7, 12-1, 14-1
CG-DDF....**E-2**
Chain (HOF block)....6-11, **6-17**
Chain (HOF star)....*6-19*
Chang, W.-T. 1-9, 1-10, 2-1, 3-1, 6-1
change-layer, VEM 16-17
channel simulation....4-3
chaos....4-3
chaos (CGC demo)....12-19
chaos (SDF demo)....**5-56**
chaoticBits (CGC demo) **12-20**
checkButton (CG56 CGC/S-56X block)....**13-6**
checkButtonInt (CG56 CGC/S-56X block) **13-6**
Chen, M. J. 1-9, 4-6, 5-1
childType, target parameter....11-4
chirp (C50 demo) **15-12**
chirp (CG56 simulator demo) **13-16**
chirpplay (SDF demo)....**5-58**
Chop (CGC block) **12-9**
Chop (SDF block) 5-2, **5-19**
ChopVarOffset (C50 block)....**15-8**
ChopVarOffset (CG56 block) **13-11**
ChopVarOffset (CGC block) **12-9**
ChopVarOffset (SDF block) **5-19**
circles (drawing)....2-36
circuit synthesis 4-7, 14-1, 14-2
circular convolution....5-80
Class font....15-4
clear-marks command 2-7, 2-48, 2-50
click-to-focus....**2-2**
Clock (DE block) 10-8, *10-25*

close-window command 2-11, 16-7
closing windows 2-4, 2-26, B-4
CLUST, SDF Scheduler option 5-65, 5-66, 5-68
CLUST, SDF scheduler option 11-6
clustering 7-5, 8-1
cntrastEnhance (SDF demo) **5-60**
code generation **E-1**
  C++ **5-67**
  domain **E-1**
  in C 12-1
  Motorola DSP56000 13-1
  TIC50 15-1
codeDecode (SDF demo) **5-55**
codef (SDF block) **5-47**
code-generation 1-6
codei (SDF block) **5-47**, **5-48**
coefficient quantization *5-76*
Collect **12-10**
Collect (CGC block) **12-10**, 12-21
color 2-54, 2-55
  changing 2-37
  for data types 2-37
  palette **2-34**
  printers **2-41**, 2-53
  problems with colormap A-21
  window dump **2-43**
ColorImage (SDF demo) **5-60**
colormap A-21
Comb (C50 block) **15-11**
Comb (CG56 block) **13-13**
command completion 16-3
commandline (CGC demo) **12-20**
command-line options 2-53
comments in parameters 2-16
Communicating Processes (CP) domain 1-7, **E-2**
communication network protocols 4-5
communication networks 1-6, 4-5, 10-1, 10-27
communications demos, SDF **5-54**
communications stars, SDF **5-36**
Commutator (C50 block) **15-8**
Commutator (CG56 block) **13-11**
Commutator (CGC block) **12-9**
Commutator (SDF block) 5-2, **5-18**, *5-52*, *6-10*
Commutator (SDF star) *6-20*
compact disc 5-53
CompareMedian (SDF demo) **5-60**
comparison (SDF demo) **5-51**
compile? 12-1
compile?, target parameter 11-3
CompileCGSubsystems 11-10, 13-17
CompileCGSubsystems target 4-7, 14-1, 14-5
compileCommand parameter 12-1, 14-3
compile-facet command 2-7, 3-19
compileOption parameter 12-2, 14-3
compileOptions parameter 12-1
compile-SDF (SDF target) **5-67**
compile-time scheduling 4-4, **E-2**
compiling Ptolemy A-8
complex baseband envelope 5-55
Complex data type (CG56) 13-12
complex data type (CG56) 13-1, 15-1
complex LMS adaptive filter **5-55**
complex parameters 2-16
complex Particle type 2-20
complex Particle type (table) 2-20
complex signals 5-53
complexColor **2-37**
complexExponential (SDF demo) **5-52**
computation graph 5-1
computer architecture modeling 10-1
CondGate (BDF block) **8-2**
conditionals 4-4, 7-1, 7-11
conditionals (DE demo) 10-24
conj (CGC block) **12-8**
conj (SDF block) **5-15**
Conjugate_M (SDF block) **5-24**
connect command 3-3, 3-5
consistency
  in dataflow 7-10, 8-1
  in DDF **7-7**
  in SDF **5-3**
consistent graph, DDF **7-7**
console window 2-53
console window for pigi 3-19
Const (C50 block) **15-3**
Const (CG56 block) **13-3**
Const (CGC block) **12-6**, 14-9
Const (DE block) 10-9
Const (SDF block) **5-5**, *5-73*
Const (SR block) **10-3**
ConstCx (C50 block) **15-3**
ConstCx (CG56 block) **13-3**
ConstCx (SDF block) **5-8**
constellation (SDF demo) **5-54**
constellation display 5-55
ConstFix (SDF block) **5-8**
ConstInt (C50 block) **15-3**
ConstInt (CG56 block) **13-3**
ConstInt (SDF block) **5-8**
ConstThreshold (SDF block) **5-49**
consumption of tokens or particles 5-1
cont command 3-3, 3-10
contents facet **2-22**, **2-34**, 16-1, **E-2**
continuous-time random processes 10-28
Contrast (SDF block) **5-48**
control stars, CG56 ..... **13-11**, **15-8**
control stars, SDF **5-17**
conversion stars, C50 ..... **15-9**

conversion stars, CG56 ... **13-12**
conversion stars, SDF ... **5-20**
convolution ... 5-57, 5-73
Convolve (SDF block) ... **5-30**
ConvolveCx (SDF block) ... **5-31**
Copy ... **12-10**
Copy (CGC block) ... **12-10**
copying facets ... 2-50
copy-objects ... A-33
copy-objects command ... 2-11, 2-44
copy-objects, VEM ... 16-18, 16-21
Cos (C50 block) ... **15-6**
Cos (CG56 block) ... **13-8**
Cos (CGC block) ... **12-8**
Cos (SDF block) ... **5-15**
co-simulation ... 4-7, 14-1, 14-5
cosine (SDF galaxy) ... **5-37**
counter (up/down) ... 10-23
CP (communicating processes) domain 1-7, **4-13**, **E-2**
CPLUS_INCLUDE_PATH environment variable ... 2-52, **A-9**
create command ... 2-11, 2-26
create, VEM ... 16-21
create-circle, VEM ... 16-18
create-geometry command ... 2-36
create-geometry, VEM ... 16-18
CreateSDFStar ... 11-10, 12-26
current domain ... 3-3
current galaxy ... 3-2
current universe ... 3-2
cursor ... 2-31
curuniverse command ... 3-2, 3-3, 3-19
Cut (C50 block) ... **15-8**
Cut (CG56 block) ... **13-11**
CxToFix (C50 block) ... **15-10**
CxToFix (CG56 block) ... **13-12**
CxToFix (SDF block) ... **5-22**
CxToFix_M (SDF block) ... **5-23**
CxToFloat (SDF block) ... **5-22**
CxToFloat_M (SDF block) ... **5-23**
CxToInt (C50 block) ... **15-10**
CxToInt (CG56 block) ... **13-13**
CxToInt (SDF block) ... **5-22**, **5-23**
CxToRect (C50 block) ... **15-9**
CxToRect (CG56 block) ... **13-12**
CxToRect (CGC block) ... 12-11
CxToRect (SDF block) ... **5-20**, *5-75*

D

data-dependent flow of control ... 1-6
data-dependent iteration ... 4-4, 7-1, 8-4
dataflow ... 1-6, **E-2**
dataflow, synchronous ... 12-1
dataIter (BDF demo) ... **8-4**
DB (CGC block) ... 12-12
DB (SDF block) ... **5-16**, **5-34**
DCE ... A-37
DctImage (SDF demo) ... **5-60**
DCTImageCodeInv (SDF block) ... **5-46**
DCTImageInv (SDF block) ... **5-46**
DDF (dynamic dataflow) ... **4-3**, **7-1**
DDF (dynamic dataflow) domain ... **7-1**, **E-2**
  buffer size ... **7-8**
  inconsistencies ... **7-7**
  wormhole ... 7-7
DDF domain ... 1-6
DDF Schedulers ... 7-2
DDFClustSched ... 7-5
DDFClustSched class ... 7-8
DDFSimpleSched class ... 7-4
DE ... **4-5**
DE (discrete event) domain ... 1-6, **4-5**, 10-1, **E-2**
  scheduler ... 10-1
  within the SDF domain ... 10-5
debug control panel ... 2-13
debugging ... 2-52, 2-53
decibels scale ... 5-34
decimation-in-time FFT ... 6-19
decimation-in-time FFT algorithm ... 6-13
decision feedback equalizer ... 5-55
deep-reread, VEM ... 16-8
DEF, SDF Scheduler option ... 5-65, 5-66, 5-68
DEF, SDF scheduler option ... 11-6
default-CG, target ... *11-2*
default-CGC target ... 12-2
default-DDF target ... 7-8
default-VHDL target ... 4-7, 14-1
deferrable star ... 7-4
defgalaxy command ... 3-3, 3-8
delay ... 5-17, 5-75
Delay (C50 block) ... **15-9**
Delay (CG56 block) ... **13-11**
Delay (CGC block) ... **12-10**
Delay (DE block) ... 10-15
delay-free loop
  in DE ... 10-4
  in SDF ... **5-4**
delays ... 2-47
  DE domain ... 10-4
  in SDF ... **5-4**
delayTest (SDF demo) ... **5-52**
delayVsServer (DE demo) ... 10-26
delete-objects command ... 2-11, 2-27
delete-objects, VEM ... 16-19, 16-20
delnode command ... 3-3, 3-12
delstar command ... 3-3, 3-11
deluniverse command ... 3-2, 3-3
demos ... 2-2

demoscript (SDF demo) 5-65
DeMux (CGC block) **12-9**
DeMux (SDF block) **5-19**, *5-52*
derived class **E-2**
DeScrambler (SDF block) **5-38**
descriptor command 3-3, 3-9
design database 1-3, 2-21
DeSpreader (SDF block) **5-38**
determinacy 7-3
DeTroch, S. 1-10
dft (CGC demo) 12-20
DFT (discrete Fourier transform) 5-79
DFT (discrete Fourier transform), two dimensional 6-10
dft (SDF demo) **5-56**
dialog boxes 2-12
Diesta, R. 1-10, 10-1
differential pulse code modulation 5-46, 5-47
digital audio tape 5-53
digital circuit simulation 4-12
digital filtering 4-3
digital logic simulation 5-21
digital signal processing demos, SDF **5-55**
digiWatch (FSM demo) **11-4**
Direct Adaptive Frequency Estimation Technique .. 5-33
direct form II 5-31, 5-76
direct-form recursive filters 6-19
directory parameter 12-1
directory, target parameter 11-2
Dirichlet (CGC block) **12-8**
Dirichlet (SDF block) **5-15**
Discard (DE block) 10-12
disconnect command 3-3, 3-11
discrete event **E-2**
Discrete event domain 10-1
discrete Fourier transform 5-56
  two-dimensional 6-10
discrete-event 1-6
  scheduler 1-9, 10-2
discrete-time Fourier transform (DTFT) 5-56, 5-70
display 2-54
DISPLAY environment variable 2-52, 16-2
display? 12-1
display?, target parameter 11-3
DisplayImage (SDF block) **5-44**
DisplayRGB (SDF block) **5-45**
displays (DE demo) 10-30
display-schedule command 2-7, 8-3
DisplayVideo (SDF block) **5-45**
distortion (DE demo) 10-29
distortionQ (DE demo) 10-29
Distributed Computing Environment A-37
Distributor (C50 block) **15-8**
Distributor (CG56 block) **13-11**
Distributor (CGC block) **12-9**
Distributor (SDF block) 5-2, **5-19**, *5-52*, *6-10*
Dither (SDF block) **5-48**
DivByInt (C50 block) **15-5**
DivByInt (CG56 block) **13-7**
DivByInt (SDF block) **5-13**
documentation 1-9, 15-1
domain 1-6, **2-4**, 2-55, 4-1, **E-2**, **E-3**
  command 3-3
  in pigi 2-55
  in the interpreter 3-18
  SDF **5-1**
  timed and untimed 4-2
domains command 3-3, 3-4
doppler (SDF demo) **5-56**
do-while 8-1, 8-4
DownCounter (DDF block) 7-9
DownSample (C50 block) **15-8**
DownSample (CG56 block) **13-11**
DownSample (CGC block) 12-9
DownSample (SDF block) 5-2, **5-19**, *5-72*
downSample (SDF demo) **5-53**
DPCMImage (SDF block) **5-46**
DpcmImage (SDF demo) **5-60**
DPCMImageInv (SDF block) **5-47**
drag 2-24, **2-24**, **E-3**
drawing
  boxes 2-24
  circles 2-36
  lines 2-24, 2-36
  polygons 2-36
DSP Station from Mentor Graphics 4-14
DSP56000 13-1
DSP56k 4-7
DSP96k 4-14
DSPlayBQ (C50 block) **15-11**
DSPlayBQ (CG56 block) **13-13**
DSPWorm (CG56 S-56X in SDF Wormhole demo) .. **13-19**
DTFT (discrete-time Fourier transform) 5-70
DTFT (SDF block) **5-35**, *5-56*, *5-79*
dtft (SDF demo) **5-56**
dtmf (CGC demo) **12-23**
DTMFCodec (C50 demo) **15-12**
DTMFCodec (CG56 CGC-S56X demo) **13-18**
DTMFCodec (CG56 simulator demo) **13-16**
DTMFCodec (CGC demo) **12-21**
DTMFCodec (SDF demo) **5-54**
DTMFDecoder (CGC block) **12-13**
DTMFDecoder (SDF block) **5-40**, **5-41**
DTMFDecoderBand (CGC block) **12-12**
DTMFDecoderBank (SDF block) **5-40**
DTMFGenerator (SDF block) **5-6**, **5-40**

dtmfKeyPad (CGC block) **12-6**
DTMFPostTest (CGC block) **12-12**
dtmfSpectrum (CGC S-56X demo) **13-18**
dynamic constructs 7-1
dynamic dataflow 1-6, **7-1**, **E-3**
dynamic flow of control in dataflow **8-1**
dynamic linking 1-11, 3-2, 3-14, A-7
dynamic scheduling in dataflow 7-11

E

echo canceling (CG56 S-56X demo) **13-17**
Eddins, S. 1-9
EdgeDetect (SDF demo) **5-60**
edit-comment command 2-7
edit-domain command 2-7
edit-icon command 2-7, 2-22
edit-label command 2-11, 2-36, 2-45
edit-label, VEM 16-19, 16-22
editor (text) 2-51
edit-params command . 2-7, 2-14, 2-15, 2-29, 2-32, 3-20
edit-pragmas 7-5
edit-pragmas command 2-7
edit-seed command 2-7
edit-target command 2-7
Edwards, S. 4-5, 10-1, A-1
EECS20 12-26
elliptic filter 5-76
emacs 2-13, 2-52, 2-54, A-21
embedded systems 1-6
EndCase 7-6
EndCase (DDF block) 7-9, 7-11
EndCase (DE star) 10-14
EnvelopeGen (SR block) **10-5**
environment variables 2-41, 2-51
- C_INCLUDE_PATH 2-52, A-9
- CPLUS_INCLUDE_PAT A-9
- CPLUS_INCLUDE_PATH 2-52
- DISPLAY 2-52, 2-54, 16-2
- GCC_EXEC_PREFIX 2-52, A-8
- HOME 2-52
- ITCL_LIBRARY 2-52
- ITK_LIBRARY 2-52
- IWIDGETS_LIBRARY 2-52
- LD_LIBRARY_PATH 2-52
- LIBRARY_PATH 2-52, A-9
- PATH 2-53
- path 3-2
- PIGIBW 2-51
- PIGIRPC 2-51
- PRINTER 2-41, 2-53
- PT_DEBUG 2-52, 2-54
- PT_DISPLAY 2-6, 2-51
- PTARCH 2-52, A-9
- PTMATLAB_REMOTE_HOST 2-52
- PTOLEMY 2-1, 2-52, A-19, B-1
- PTOLEMY_SYM_TABLE 2-52
- PTPWD 2-52
- QCKMON 2-53
- S56DSP 2-53
- SHLIB_PATH 2-53
- SIM_ARCH 2-53
- SYNOPSYS 2-53
- TCL_LIBRARY 2-52
- TK_LIBRARY 2-52
- TYCHO 2-52
- USER 2-53

equiripple FIR command 2-7
equiripple FIR filter design C-1
eratosthenes (DDF demo) 7-10, *9-6*
errorDemo (DDF demo) 7-10
errors, finding the source 2-49
Ether (DE block) 10-22
EtherRec (DE block) 10-22, *10-28*
EtherRecMes (DE block) **10-22**
EtherSend (DE block) 10-22, *10-28*
Evans, B. 1-9, 3-1, 4-1, 5-1, 5-48, 9-1, 10-1, 13-1
event 10-1, **E-3**
event horizon **E-3**
event path 10-4
event queue 4-5, 10-2
event-driven model of computation 4-5
event-driven simulation 4-12
EventHorizon in DDF **7-12**
excess bandwidth *5-79*
exit command 3-3, 3-15
exiting pigi 2-4
exit-pigi command 2-7
Exp (CGC block) **12-8**
Exp (SDF block) **5-15**, *5-73*
expgen (CGC block) **12-6**
expgen (SDF block) **5-8**, *5-73*
expjx (C50 block) **15-6**
expjx (CG56 block) **13-8**
expjx (CGC block) **12-8**
expjx (SDF block) **5-15**
exponential (HOF demo) **6-20**
exponential distribution 10-9
exponential sequences 5-73
Expr (CG56 block) **13-9**, **15-7**
Expr (CGC Block) **12-9**
expressions in parameter values 2-15
eye (SDF demo) **5-54**
eye diagram display 5-55

F

facet **2-4**, **2-21**, 16-1, **E-3**
facet number command 2-7

fast Fourier transform (FFT) algorithm .5-2, 5-35, 13-14, 15-11
Fay, T. 5-51
feedback
around quantizer structure..... 5-58, 5-83
systems..... 5-74
FFT..... **5-34**, 6-13, 6-19
two dimensional..... 6-10
FFT (fast Fourier transform)..... 5-2, 5-36
fft (HOF demo) **6-19**
FFT (SDF block)..... *5-56*
fft2d (HOF demo) **6-19**
FFTCx (C50 block)..... **15-11**
FFTCx (CG56 block)..... **13-14**
FFTCx (CGC block) 12-12
FFTCx (SDF block)5-2, *5-3*, **5-35**, *5-56*, *5-70*, *5-75*, *5-79*, *6-10*
fibonnacci (DDF demo) 7-11
FIFOQueue (DE block)..... 10-16, *10-27*
file input 5-7, 10-10
file input for parameters..... 2-16, 2-19
file parameter 12-1
file, target parameter 11-3, 11-7
fileColor **2-37**
files in parameters 2-20
Filter (DE block) 10-23, *10-28*
filter banks..... 4-3
filter design 4-3, 5-56, C-1
filterBank (CGC demo)..... 12-20
filterBank (SDF demo)..... **5-53**
filterBank-NonUniform (SDF demo)..... **5-53**
filterPrototype (SDF demo) **5-64**
find-name command 2-7
finite Fourier series approximation 6-19
FIR 2-18, 5-31, **5-31**, 5-31, **5-31**, **5-32**, *5-55*
FIR (C50 block) **15-11**
FIR (CG56 block) **13-14**
FIR (CGC block)..... 12-12
FIR (finite impulse response filtering)..... 5-33
FIR (SDF block).....5-2, **5-31**, *5-53*, *5-55*, *5-72*, *5-74*
FIR filter design 5-78, C-1
FIR lattice filter..... *5-86*
FIRCx (SDF block)..... **5-31**, *5-53*
FIRCx (SDF star)..... 5-2
FIRFix (CGC block) **12-12**
FIRFix (SDF block) **5-31**
firing of actors or stars 5-1, **E-3**
firing rule..... **E-3**
firingsPerIteration pragma 7-5, 7-11, 7-12
first-in first-out (FIFO) queue 10-16
fixCGC (CGC demo) **12-26**
fixColor **2-37**
fixConversion (CGC demo)..... **12-22**
fixConversion (SDF demo)..... **5-61**
fixed-point parameters..... 2-16
fixFIR (CGC demo)..... **12-22**
fixFIR (SDF demo)..... **5-61**
fixIIRdf (SDF demo) **5-61**
fixMpyTest (CGC demo) **12-22**
fixMpyTest (SDF demo) **5-61**
FixToCx (C50 block) **15-10**
FixToCx (CG56 block)..... **13-12**
FixToCx (SDF block)..... **5-22**
FixToCx_M (SDF block) **5-22**
FixToFloat (SDF block) **5-22**
FixToFloat_M (SDF block)..... **5-22**
FixToInt (SDF block) **5-22**
FixToInt_M (SDF block) **5-22**
FlipFlopJK (DE block)..... **10-19**
float Particle type..... 2-20
float Particle type (table) 2-20
floatColor..... **2-37**
FloatToCx (SDF block)..... **5-22**
FloatToCx_M (SDF block) **5-22**
FloatToFix (SDF block) **5-22**
FloatToFix_M (SDF block)..... **5-22**
FloatToInt (SDF block) **5-22**
FloatToInt_M (SDF block)..... **5-22**
FloatVecData class 10-14
Floor (CGC block)..... **12-8**
Floor (SDF block)..... **5-15**
FlushNet (DE demo)..... 10-27
FlushQueue (DE block)..... 10-16
fm (CGC demo)..... **12-23**
fm (CGC galaxy) **12-9**
fmplay (SDF demo)..... **5-58**
fmSpectral (CGC demo)..... **12-23**
focus **2-2**
fonts 2-45, 2-54, A-20
foreach Tcl command..... 3-20
Fork (BDF block) **8-2**
Fork (C50 block) **15-8**
Fork (CG56 block) **13-11**, **15-8**
Fork (CGC block)..... **12-9**
Fork (DE block)..... 10-12
Fork (SDF block)..... **5-17**, *5-75*
forks
automatic 3-6
star **E-3**
formal parameters..... **2-32**
four_level (DE demo)..... 10-29
Fourier series 6-19
Fourier transform..... 2-44, 5-56
fourierSeries (HOF demo)..... **6-19**
FrameMaker 2-41, 2-43, 15-1, 15-2, A-21
framework..... 2-21
Frampton, P. 12-23
Fratt, M. 1-10

Free Software Foundation 1-11
freqPhase (SDF block) **5-39**, **5-41**, *5-52*
freqPhaseOffset (SDF demo) **5-52**
freqsample (SDF demo) **5-56**
frequency domain convolution 5-57
frequency domain filtering 4-3
frequency offset 5-39, 5-41
frequency response 5-75
frequency sampling method 5-56
frequency sampling method for filter design..... C-1
FSM (Finite State Machine) domain **4-5**
fullVQ (SDF demo) **5-60**
fullVQCodebk (SDF demo) **5-60**
FullyConnected, target *11-3*
funcName parameter 12-1, 14-3
functional block diagram 4-14, 14-1
functional language 4-14
functional modeling 4-7, **E-3**
functional programming 6-2

G

g++ compiler A-7
Gabriel 1-2
Gain (C50 block) **15-4**
Gain (CG56 block) **13-6**, **13-7**
Gain (CGC block) 12-8
Gain (SDF block) **5-12**
Gain_M (SDF block) **5-25**
GainInt (C50 block) **15-5**
GAL (CGC block) **12-12**
GAL (SDF block) **5-31**
Galaxy **2-4**, **E-3**
  creating 2-30
  define-params 2-32
  defining in ptcl 3-8
  parameters 2-32
  PortHole 2-30
  terminal 2-30
  terminals 2-38
Gantt chart **E-3**
Gantt chart and itcl A-13
Gantt chart display *11-9*
ganttChart, target parameter 11-4
gaussian (SDF demo) **5-52**
Gaussian noise 5-81
Gaussian white noise 5-6, 5-39, 5-55, 13-3, 15-3
GCC_EXEC_PREFIX environment variable. 2-52, **A-8**
gdb debugger 2-52, 2-54
GenTarget (SDF block) **5-42**
geodesic size, DDF **7-8**
GGAL (CGC block) **12-12**
GGAL (SDF block) **5-31**
Girault, A. D-1
GLA **5-34**
GLA (SDF block) **5-34**
Gnu tools 1-11
Goei, E. E. 1-10, 2-1
Goertzel (CGC block) **12-12**
Goertzel (SDF block) **5-31**
GoertzelDetector (CGC block) **12-12**
GoertzelDetector (SDF block) **5-41**
GoertzelPower (CGC block) **12-12**
GoertzelPower (SDF block) **5-35**
goertzelTest (C50 demo) **15-12**
goertzelTest (CG56 demo) **13-15**
graphical interface 2-1
graphicEq (CGC demo) **12-27**
graphing 17-1
Gray, P. 1-9
grid 2-26
Grimwood, M. 1-10
group delay 5-75
Gu, S. 1-9
Guntvedt, E. 1-10
Gutierrez, Luis 15-1
gzip A-6

H

Ha, S. 1-9, 4-1, 5-67, 7-1, 10-1, 11-1, 12-1
halt command 3-3, 3-10
halting problem 7-3
Hamilton, E. 1-10
Hamming **5-7**
Hamming window 5-57
Han, R. 10-1
HandShake (DE block) 10-22
handShakeQ (DE block) 10-23
Hanning **5-7**
Hanning window 5-57, *5-79*
hardcopy 2-40, 2-53
hardware systems 1-6, 4-5
Harrison, D. 1-10, 1-12, 2-1, 2-9, 16-1, 17-1
Haskell, P. 1-9, 5-1, **5-44**, 10-1
hdShotNoise (DE demo) 10-28
Heine, H. 1-10, 2-1
help command 3-3, 3-15
Henon map 5-56
Hermitian_M (SDF block) **5-24**
high-density shot noise 10-28
higher-order functions 4-3, 6-1, 7-10
Hilbert (SDF block) **5-31**
Hilbert transform 5-56
hilbertSplit (SDF block) **5-38**
histogram 5-10, 5-52, 10-11
Ho, W.-H. 1-10
HOF **E-3**
HOF (higher-order functions) **4-3**

HOF Domain 6-1
HOME environment variable 2-52
homogeneous synchronous dataflow E-3
host, target parameter 11-3
HostAOut (CG56 block) **13-4**
HostButton (CG56 QDM/S-56X block) **13-5**
HostMButton (CG56 QDM/S-56X block) **13-5**
HostSlider (CG56 QDM/S-56X block) **13-5**
HostSliderGX (CG56 S-56X block) **13-4**
How, S. 1-10
Huang, C.-T. 1-10, 13-1
Huang, W.-J. 1-10, 2-1
Hughes Network Systems 1-11
Hughes Research Laboratories 1-11
Hylands, C. 1-9, 1-10, 2-1, 3-1, 5-1, 6-1, 9-1, 10-1, 11-1, 10-1, 11-1, 12-1, 13-1, 14-1, 15-1, 16-1, A-1, D-1
Hyper 4-14

I

I/O stars, C50 ..... **15-3**
I/O stars, CG56 ..... **13-3**, **13-4**
icons 2-4, 2-29, 16-1, **E-4**
  background **2-34**
  reflecting 2-45
  rotating 2-45
  shadow **2-34**
ideal low-pass filter 5-78
Identity_M (SDF block) **5-9**
IEEE floating point numbers A-35
IEEE floating-point numbers 17-1
IfGr (HOF block) **6-17**
if-then-else 7-11, 8-1, 8-4
ifThenElse (BDF demo) **8-4**, 12-25
ifThenElse (DDF demo) 7-10
IfThenElse (HOF block) **6-17**
IIDGaussian (CG56 block) **13-3**, **15-3**
IIDGaussian (SDF block) **5-6**
IIDUniform (C50 block) **15-3**
IIDUniform (CG56 block) **13-3**
IIDUniform (CGC block) **12-6**, 14-9
IIDUniform (SDF block) **5-6**, *5-82*
IIDUniform(C50 Block) **15-3**
IIR **5-31**, **5-32**
IIR (C50 block) 15-10
IIR (CG56 block) 13-13
IIR (CGC block) 12-21
IIR (SDF block) **5-31**, *5-74*, *5-76*, *5-81*
IIR lattice filters 5-33
iirDemo (CGC demo) **12-21**
iirDemo (SDF demo) **5-57**
IIRFix (SDF block) **5-31**, **5-32**
iirTest (C50 demo) *15-12*
iirTest (CG56 demo) *13-15*
image coding 5-46
image prcessing demos, SDF **5-59**
image processing 4-3
image processing stars, SDF **5-44**
ImageToCell (DE block) 10-19
IMEC 1-10, 4-14
Impulse (C50 block) **15-3**
Impulse (CG56 block) **13-3**
Impulse (CGC block) 14-9
impulse (CGC demo) 12-23
Impulse (DE block) 10-8
Impulse (SDF block) **5-6**, *5-74*
inconsistency
  in dataflow 7-10
  in DDF **7-7**
  in SDF **5-3**, **5-53**
inconsistent facets 2-50, A-19
incremental linking 3-2
index entries
  in FrameMaker **15-2**
Inf A-19, A-35
init.pal facet 2-23, 2-29
initDelays (SDF demo) 5-63
input_map parameter 6-2
insanity (BDF demo) **8-4**
instance 2-27
instance name 3-20
intColor **2-37**
integer Particle type (table) 2-20
Integrator (C50 block) **15-6**
Integrator (CG56 block) **13-8**
Integrator (CGC block) 12-8
integrator (CGC demo) 12-19
Integrator (SDF block) **5-13**
integrator (SDF demo) **5-52**
interface 16-1
interface facet **2-22**, 2-27, **2-34**, **E-4**
interp (CGC demo) 12-20
interp (demo) **5-53**
interp (SDF demo) **5-53**
interpolation 5-2, 5-53
interrupt, VEM 16-8
IntReadFile (CG56 block) **13-4**
IntToBits (C50 block) **15-10**
IntToBits (CG56 block) **13-12**
IntToBits (SDF block) **5-21**
IntToCx (C50 block) **15-10**
IntToCx (CG56 block) **13-13**
IntToCx (SDF block) **5-22**
IntToCx_M (SDF block) **5-22**
IntToFix (C50 block) **15-10**
IntToFix (CG56 block) **13-13**
IntToFix (SDF block) **5-22**
IntToFix_M (SDF block) **5-22**

IntToFloat (SDF block) **5-22**
IntToFloat_M (SDF block) **5-22**
IntToString (SR block) **10-4**
invalid masters A-19
Inverse_M (SDF block) **5-25**
ISSubSH (SDF block) **5-29**
Itcl 1-11, **E-4**
itcl A-13
ITCL_LIBRARY environment variable 2-52
ItclCounter (SR block) **10-4**
ItclDatabase (SR block) **10-4**
ItclDisplay (SR block) **10-4**
ItclEditor (SR block) **10-4**
ItclIn (SR block) **10-4**
ItclInOut (SR block) **10-4**
ItclModeSelect (SR block) **10-4**
ItclOut (SR block) **10-4**
iteration 7-1, 7-3, 7-11, **E-4**
  in DDF **7-7**
ITK_LIBRARY environment variable 2-52
IWIDGETS_LIBRARY environment variable 2-52

J

Joes scheduling' 11-6

K

Kahn process networks **4-4**
Kahn, G. 9-5
Kahn, J. M. 1-9
Kahn74fig2 (PN demo) *9-6*
Kahn77fig3-opt (PN demo) *9-6*
Kahn77fig4 (PN demo) *9-6*
Kahn77fig4-opt (PN demo) *9-6*
Kaiser **5-7**
Kalavade, A. 1-9, 4-1, 5-1
Kalman filtering 4-3, 5-5
Kalman_M (SDF block) **5-63**
Kamas, A. 1-9, 1-10, 2-1, 5-1, 5-70, 6-1, 15-1, A-1
Karp & Miller 7-12
Karp, R. M. 5-1
Karplus-Strong algorithm 5-58
kernel of Ptolemy 2-21, **E-4**
key bindings **2-25**
keyboardFocusPolicy 2-2
Khazeni, A. 1-9, 5-1
Khiar, K. 5-42, 6-1
kill-application, VEM 16-22
kill-buffer, VEM 16-8
Knightly, E. 1-9, 4-5, 10-1, 10-2
knownlist 3-2
knownlist command 3-3, 3-9
KSchord (SDF demo) **5-58**
Kuroda, I. 1-9, 1-10

L

labels
  facets 2-45
  icons 2-36
  vem bug A-33
Lane, T. 2-1, 6-1, 10-1
Lapsley, P. 1-9, 1-10, 2-1, 15-1
laser phase noise 5-55
last-in first-out (LIFO) queue 10-16
LastOfN (DDF block) 7-9
Lattice (SDF block) **5-32**, *5-85*
lattice (SDF demo) **5-57**
lattice filters 5-33, 5-57, 5-85
latticeDesign (SDF demo) **5-57**
layer A-33, **E-4**
layer palette **2-34**
layer-display command 2-11, 2-43, 16-14
layers in Vem **2-34**, 2-45
lazy evaluation **7-7**
LBTest (DE demo) 10-28
ld.so errors A-20
LD_LIBRARY_PATH environment variable 2-52
LeakBucket (DE block) 10-13
Leapfrog, Cadence 14-7
Lee, B. 1-10, 4-5, 5-1, 11-1
Lee, E. A. 1-9, 2-1, 3-1, 4-1, 4-6, 5-1, 5-70, 6-1, 7-1, 8-1, 10-1, 11-1, 12-1, 14-1, 15-1, 16-1, 17-1, A-1
Lee, J. 1-11
Lee, S. 4-12, 4-13
Lee, S.-J. 1-10
LevDur (SDF block) 5-2, **5-35**, *5-85*, *5-86*
levinsonDurbin (SDF demo) **5-57**
Levinson-Durbin algorithm 5-34, 5-35, 5-57, 5-84
Li, W. 1-10
LIBRARY_PATH environment variable 2-52, **A-9**
libXext.so.4
  not found A-20
lightweight process library 4-13
Limit (C50 block) **15-6**
Limit (CG56 block) **13-8**
Limit (CGC block) **12-9**
Limit (SDF block) **5-15**
line 2-24
linear distortion 5-39
linear phase filtering 5-75
linear prediction 4-3, 5-34, 5-42
linearPrediction (SDF demo) **5-57**
lines 16-3
lines (drawing) 2-36
link command 3-4, 3-14
linking new stars in ptcl 3-2, 3-14
linkOptions parameter 12-1, 12-2
Linnartz, J.-P. 1-9
LinQuantIdx (SDF block) **5-13**
Lisp 4-3, 6-1

listobjs command 3-4
LMS 5-32, **5-33**
LMS (C50 block) **15-11**
lms (C50 demo) **15-12**
LMS (CG56 block) **13-14**
lms (CG56 CGC-S56X demo) **13-18**
lms (CG56 simulator demo) **13-16**
LMS (CGC block) 12-12
LMS (SDF block) **5-32**, *5-55*, *5-82*
LMS adaptive filter 5-55
LMS adaptive filter, complex **5-55**
LMS adaptive filters 5-42
LMSCx (SDF block) **5-32**
LMSCxTkPlot (SDF block) **5-32**
lmsDTMFCodec (C50 demo) **15-13**
lmsDTMFCodec (CG56 CGC-S56X demo) **13-18**
lmsDTMFCodec (CG56 simulator demo) **13-16**
lmsDTMFCodec (SDF demo) **5-54**
LmsDTMFDecoderBank (SDF block) **5-41**
lmsDualTone (SDF block) 5-41, **5-41**
lmsFreqDetect (SDF demo) **5-52**
LMSGanged (C50 block) **15-11**
LMSGanged (CG56 block) **13-14**
LMSLeak (SDF block) **5-32**
LMSOscDet (SDF block) **5-33**
LMSPlot (SDF block) **5-32**
LMSPlotCx (SDF block) **5-33**
LMSRx (CG56 block) **13-14**
LMSTkPlot (CGC block) 12-12, 14-11
LMSTkPlot (SDF block) **5-33**, *5-82*
load command 3-13
load?, target parameter 11-3
load-star command 2-7
load-star-perm command 2-7
Log (C50 block) **15-6**
Log (CG56 block) **13-8**
Log (CGC block) **12-9**
Log (SDF block) **5-15**, *5-73*
log file pigiLog.pt 3-20
log-bindings, VEM 16-8
logFile 7-9, 8-2
logFile, target parameter **5-65**, 5-66, 11-4
Logic (DE block) 10-18, *10-24*
logic (DE demo) 10-24
Logic (SDF block) **5-17**
logic stars, C50 ..... **15-7**
logic stars, CG56 ..... **13-10**
logic stars, SDF **5-16**
logicTest (C50 demo) *15-12*
logicTest (CG56 demo) *13-15*
Loh, J. 1-10
look-inside command 2-5, 2-7
LookupTbl (CG56 block) **13-9**, **15-7**
loop (BDF demo) **8-4**, 12-25
loop (CGC demo) 12-20
loop (DDF demo) 7-11
loop schedulers **5-66**, 5-66, **5-66**, **11-7**
loopingLevel, target parameter 11-2, 11-6, 11-7
loopScheduler, target parameter **5-65**, 5-66
loop-SDF 5-67
loopTheLoop (BDF demo) **8-4**
LossyInput (DE block) 10-13
lossySpeech (SDF demo) **5-54**, **5-58**
lossySpeechPrevCell (SDF demo) **5-54**, **5-58**
Lu, B. 5-48

M

M56K Simulator file input 13-4
machineNames parameter 12-4
MacQueen, D. B. 9-5
Magnavox (CG56 S-56X block) **13-4**
MagnavoxIn (CG56 S-56X block) **13-4**
main universe 3-19
make A-12
Makefile_C target 12-2
make-schem-icon command 2-7, 2-29, 2-31, 2-38
make-star command 2-7, 2-47
making icons 2-29
man command 2-7, 2-10
manifest iteration 8-4
manual, printing **15-1**
manualAssignment, target parameter 11-4, 11-14
Map (HOF block) **6-2**, **6-16**
mapcar function in Lisp 4-3, 6-1
MapGr (HOF block) **6-17**
Markov 5-51
master **E-4**
masters program 2-50, A-19, **E-4**
matched filtering 5-54
Math Works, Inc. 5-26
Mathematica 2-18
mathematica command 3-4
Matlab 2-18, 5-26
Matlab (SDF block) **5-11**
matlab command 3-4
Matlab_M (SDF block) **5-9**, **5-27**
MATLAB_SCRIPT_DIR environment variable .. 5-26
MatlabCx_M (SDF block) **5-9**, **5-27**
Matrix (SDF block) **5-9**
matrix operations in SDF 5-2, **5-23**
MatrixParticle class 6-9
MatrixTest1 (SDF block) **5-62**
MatrixTest2 (SDF block) **5-63**
MatrixTest3 (SDF block) **5-63**
maxBufferSize 7-8
maxBufferSize in DDF 7-7, **7-8**
maximal-length shift register 5-54
maximum buffer size in DDF **7-8**

maximum entropy power spectrum estimation 5-34
maximum entropy spectral estimation.....5-35
maximum entropy spectrum estimation 5-34
MaxMin (C50 block).....**15-6**
MaxMin (CG56 block).....**13-8**
MaxMin (CGC block) **12-9**
MaxMin (SDF block) **5-15**
MC_DCT (SDF demo).....**5-60**
McLennan, M. 1-10, 1-11
MDSDF domain 4-6, 6-9
mean of a random process 10-25
MeasureDelay (DE block).....10-17, *10-27*
measureDelay (DE demo) 10-27
MeasureInterval (DE star) 10-17
MedianImage (SDF block).....**5-48**
member **E-4**
memory leaks.....A-33
Mentor Graphics.....1-11, 4-14
menu
    pigi..... 2-4, 2-7, 16-3
    vem 2-9, 2-11, 2-35, 16-3
Merge (DE block).....10-13, *10-25*
merge (DE demo) 10-25
Message class 10-19, 10-21
message queue domain 1-7
MessageParticle class 6-9
Messerschmitt, D. G. 1-9, 2-1, 5-1
method **E-4**
microphone array.....6-19
Midi (SR demo).....*10-5*
MIDIin (SR block) **10-4**
Mike Peck, Berkeley Camera Engineering 13-21
Miller, R. E. 5-1
minimum mean-square-error (MMSE).....7-12
minimum-phase polynomials 5-56
miscIntOps (C50 demo) *15-12*
miscIntOps (CG56 demo).....*13-15*
MIT.....2-2
Mitsubishi 1-11
model of computation.....4-1, *4-2*, **E-4**
Model Technology VHDL simulator 4-7, 14-1
Modem (CGC S-56X demo) **13-18**
modem (SDF demo) **5-54**
modems.....4-3
modulation.....5-52, 5-70
Modulo (CGC block).....**12-9**
Modulo (SDF block).....**5-15**
modulo (SDF demo) **5-52**
ModuloInt (C50 block).....**15-6**
ModuloInt (CG56 block).....**13-9**
ModuloInt (CGC block) **12-9**
ModuloInt (SDF block) **5-15**
modulus8 (FSM demo).....**11-3**
MonoIn (CGC block) **12-6**
MonoOut (CGC block).....**12-8**
Motif window manager 2-2
MotionCmp (SDF block) **5-47**
MotionCmpInv (SDF block) **5-47**
MotionComp (SDF demo) **5-60**
Motorola 1-11, 4-7, 4-14, 13-1
Mountford, B. 1-11
move-objects command..... 2-11, 2-44, 16-20, 16-21
moving facets 2-50
moving objects 2-44
moving terminals.....2-37
MPandBinary (SDF block).....**5-49**
MPNeuron (SDF block) **5-49**
MPxorBinary (SDF block).....**5-49**
Mpy (C50 block) **15-4**
Mpy (CG56 block) **13-6**
Mpy (CGC block).....12-8
Mpy (SDF block) **5-12**
Mpy (SDF) star.....*2-31*
Mpy_M (SDF block).....**5-25**
MpyCx (C50 block) **15-4**
MpyCx (CG56 block).....**13-7**
MpyInt (C50 block).....**15-5**
MpyInt (CG56 block).....**13-7**
MpyRx (CG56 block).....**13-7**
MpyScalar_M (SDF block).....**5-25**
MpyShift (C50 block) **15-5**
MpyShift (CG56 block) **13-7**
MQ (message queue) domain.....1-7, 4-13
MRVQ (SDF demo).....**5-61**
MRVQCodeBk (SDF demo).....**5-60**
MRVQCoder (SDF block) **5-34**
MRVQmeanCB (SDF demo).....**5-60**
MRVQshapeCB (SDF demo).....**5-60**
MuLaw (SDF block) **5-21**, **5-40**
multidimensional data 6-9
multidimensional synchronous dataflow domain... 6-9
multiFork (C50 demo).....*15-12*
multiFork (CG56 demo).....*13-15*
MultiIn (CG block).....**11-15**
MultiInOut (CG block).....**11-15**
multilink command 3-4, 3-14
multimedia systems 4-5
MultiOut (CG block).....**11-15**
Multiple (SDF block) **5-17**
multiple inputs.....2-46
multiple outputs.....2-46
multiple-processor schedulers *11-7*
MultiPortHole.....2-46
multiporthole 6-14
MultiPortHole class.....3-6
MultiPortHoles 3-7
multiprojection 6-10
multirate (SDF demo).....**5-53**

multirate demos, SDF **5-53**
multirate filters 5-31, 13-14, 15-11
multirate signal processing 4-3, 5-2, 5-72
MultiTone (CG56 S-56X in SDF Wormhole demo) ... **13-19**
Murthy, P. 1-10
Murthy, P. K. 5-66, 11-1, 11-7
MUSIC_M (SDF block) **5-36**
Mux (C50 block) **15-8**
Mux (CG56 block) **13-11**
Mux (CGC block) **12-9**
Mux (SDF block) **5-19**, *5-52*
Mux (SR block) **10-4**
muxDeMux (SDF demo) **5-52**
mwm 2-2

N

names of terminals 2-45
nameSuffix parameter 12-4
NaN A-19, A-35
National Science Foundation (NSF) 1-11
Naval Research Labs (NRL) 1-11
NEC 1-10
Neg (C50 block) **15-5**
Neg (CG56 block) **13-7**
nested loops 8-4
net 2-48, **E-4**
Netscape A-21
NetworkCell class 10-19
Networks Of Workstations (NOW) 12-4
Neuron (SDF block) **5-49**
newstate command 3-4, 3-6
Newton, R. 1-11
newuniverse command 3-2, 3-4
Niehauss, D. 1-10
node command 3-4, 3-6
nodeconnect command 3-4, 3-6
noise 5-6, 5-39, 13-3, 15-3
noiseChannel (SDF block) **5-39**, **5-41**
noisySines (CGC demo) **12-24**
non-determinacy 4-2
nonlinear 5-55
nonlinear (CGC block) **12-20**
nonlinear distortion 5-39, 5-55
nonlinear stars
  C50 ..... **15-5**
  CG56 ..... **13-7**
  SDF **5-13**
nonLinearDistortion (SDF block) **5-39**, **5-41**
Nop (HOF block) **6-16**, 6-17
normal distribution 10-9
Not (BDF block) **8-3**
NOWam target 12-4
nprocs, target parameter 11-3
NRL 1-11
NSF 1-11
Null (DE block) 10-8
numOverlapped 7-8
numports command 3-4, 3-7
NumToBus (SDF block) **5-21**
Nyquist frequency 5-78

O

O'Reilly, M. 1-10, 1-11
object **E-4**
Oct 16-1, **E-4**
oct tools 1-3, 1-11, **2-4**, **2-21**, **E-4**
oct units **2-34**
oct2ptcl **3-22**
octmvlib program 2-50
Office of Naval Technology (ONT) 1-11
olwm window manager 2-2
OneDoppler (SDF block) **5-43**
oneStarOneProc, target parameter 11-4
ONT 1-11
Open Windows A-20
open-facet command 2-7, 2-23, 2-30
open-look window manager 2-2
open-palette command 2-7, 2-24, 2-30
open-window command 2-11, **2-26**, 16-8
OpenWindows 2-2, B-1
optfir program *5-79*, C-1
optimized mode, de 10-7
options 2-55
options command 2-7
OrderTwoInt (C50 block) **15-6**
OrderTwoInt (CG56 block) **13-9**
OrderTwoInt (CGC block) **12-9**
OrderTwoInt (SDF block) **5-15**
Ousterhout, J. 1-11, 3-1
output_map parameter 6-2
overlapAdd/FFT (SDF demo) **5-57**

P

Pack_M (SDF block) **5-24**
packetColor **2-37**
Packetize (DE block) 10-14
packet-switched network 10-29
packet-switched networks 4-5, 10-19
Pad (C50 block) **15-9**
Pad (CG56 block) **13-11**
palette **2-4**, **2-22**, **E-4**
palette command 2-11, **2-34**, 16-8
pan command 2-11, **2-26**, 16-9
parallel architecture 1-6
parallel schedulers *11-7*
parameter_map parameter 6-2
parameters **2-14**, 3-6, 6-2, **E-4**
  actual 2-32

complex 2-16
expression language 2-15
expressions 2-15
formal 2-32
Galaxy 2-32
Mathematica 2-18
Matlab 2-18
setting 2-15
string 2-19
Tcl 2-17
parametricEq **12-27**
ParametricEq (CGC block) **12-12**
parametricEQ (CGC demo) **12-26**
parent target 2-55
Parks, T. 12-1
Parks, T. M. 1-9, 4-1, **4-4**, 4-13, 5-1, 6-1, 7-1, 9-1, 10-1
Parks95fig3.11 (PN demo) *9-7*
Parks95fig3.5 (PN demo) *9-7*
Parks95fig4.1 (PN demo) *9-7*
Parks-McClellan algorithm 2-18, 5-78, C-1
particle **E-4**
particle type 2-20
PassGate (DE block) 10-13
PATH environment variable 2-53
path environment variable 2-1, 3-2
Patterson, D. 1-10
PattMatch (SDF block) **5-36**
PCM (pulse code modulation) 5-84
PCMBitCoder (SDF block) **5-21**, **5-42**
PCMBitDecoder (SDF block) **5-21**
PCMReadInt (SDF block) **5-8**
PCMVoiceRecover (DE block) 10-21
PcwzLinear (SDF block) **5-16**
Peck, M. 13-4
PeekPoke (CG56 CGC/S-56X block) **13-6**
perfect reconstruction filter bank 5-53
perfectReconstruction (SDF demo) **5-59**
periodogram 5-84
periodogram (SDF block) **5-36**
periodogram method for power spectrum estimation .. 5-57
permlink command 3-4, 3-14
PGM format for images 5-44
phase jitter 5-39, 5-41, 5-55
phase noise 5-55
phase response 5-75
phase unwrapping 5-36
phased array beamforming 4-3
phased_array (HOF demo) **6-19**
phased_Array (SDF demo) **5-61**
phasedArray (SDF demo) **5-57**
phase-locked loops 4-3
phaseShift (SDF block) **5-32**, **5-39**, *5-56*
phase-space plots 5-56
Philips 1-11
phoneLine (C50 demo) **15-13**
phoneLine (CG56 CGC-S56X demo) **13-18**
phoneLine (CG56 simulator demo) **13-16**
physical editing style **2-34**
physical mode in vem 16-1
physical view of a facet **2-34**
picture (DDF demo) 7-11
pigi **1-3**, **2-1**, **2-4**, **E-5**
command line options 2-53
exiting 2-4
starting 2-53
using ptcl within pigi 3-19
pigi menu 2-4, 2-7, 16-3
PIGIBW environment variable 2-51
pigiLog.pt file 3-20
pigiRpc **1-3**, 2-4, **2-4**, **2-21**, 2-54, 16-1, 16-2, **E-5**
PIGIRPC environment variable 2-51
pigiRpc.debug 2-54
pigiRpc.ptiny 2-54
pigiRpc.ptrim 2-54
pigiXRes9 ..... 2-54, A-20
Pino, J. 14-1
Pino, J. L. 1-9, 11-1, 13-1
pipeline (CG demo) **11-16**
pitcl **3-1**
Plasma **E-5**
Play (SDF block) 2-40, **5-11**
Play, (SDF block) 2-38
plldemo (SDF demo) **5-55**
plot complex signal command 2-7
plot DFT of a complex signal 2-7
plot DFT of a signal command 2-7
plot signal command 2-7
plots 10-11, 17-1
phase-space 5-56
polar form 5-51
scatter plots 5-55
signal 2-44
waterfall 5-57
PN, process network **4-4**
point in VEM 2-24
points in VEM 16-3
Poisson (DE block) 10-8
poisson (HOF demo) **6-20**
Poisson counting process 10-25, 10-26, 10-27
Poisson processes 6-20
PolarToRect (CGC block) 12-11
PolarToRect (SDF block) **5-21**
poles and zeros 5-74
pole-zero plot *5-76*
polygons (drawing) 2-36
polymorphism 2-20
polyphase FIR filters 4-3, 5-53

polyphase multirate filters.....5-31, 13-14, 15-11
pop-context, VEM..... 16-9
port **E-5**
PortHole **E-5**
Galaxy..... 2-30
type..... 2-20
portNumber parameter 12-4
POSIX threads..... **4-4**
postscript 2-40, 2-41, 2-42
PostTest (SDF block) **5-40**
power spectrum 5-34
power spectrum estimation 5-36, 5-57
autocorrelation method 5-57
Burg's method..... 5-57
periodogram method 5-57
powerEst (CGC block)..... **12-9**
powerEst (SDF block)..... **5-16**, *5-82*
powerEstCx (SDF block) **5-16**
powerEstLin (SDF block) **5-16**
powerSpectrum (SDF demo) **5-57**
pragma..... 7-5
firingsPerIteration 7-5, 7-11, 7-12
pragma command..... 3-4
pragmaDefaults commands..... 3-4
Pre (SR block)..... **10-3**
precision of fixed-point parameters 2-16
precision parameters 2-16
preinitialize..... 6-1
preinitialize method..... 6-1
PRfilterBank (CGC S-56X demo) **13-18**, **13-19**
print command 3-4, 3-9, 3-19
Printer (CGC block) **12-7**
Printer (DE block)..... 10-11
Printer (SDF block)..... **5-11**
Printer (SR block) **10-4**
PRINTER environment variable 2-41, 2-53
print-facet command 2-7
printing facets..... 2-41, A-33
printing the Ptolemy manual **15-1**
printing the screen..... 2-41
prioritized (DE demo) 10-28
priority (DE demo)..... 10-27
PriorityCheck (DE block) 10-20
PriorityQueue (DE block) 10-16, *10-27*
problems with input data..... A-19, A-35
processor-sharing server 10-27
procId 11-8
procId, CG star state..... 11-14
production of tokens or particles..... 5-1
profile command 2-7, 2-10
programmable DSP chips..... 1-6
programmer's manual 1-9
Prolog A-21
ProPort A/D (CG56 S-56X block) **13-4**
PrPrt AD (CG56 S-56X block)..... **13-4**
PrPrtADDA (CG56 S-56X block)..... **13-4**
PrPrtDA (CG56 S-56X block)..... **13-5**
pseudo random sequence 5-54
pseudoRandom (CGC demo) **12-20**
pseudoRandom (SDF demo) **5-54**
pseudo-random noise..... 5-6, 13-3, 15-3
Psi (SDF block) **5-43**
PSServer (DE block) 10-15
psServer (DE demo) 10-27
PT_DEBUG environment variable.....2-52, 2-54
PT_DISPLAY environment variable 2-6, 2-51
PTARCH environment variable 2-52, A-9
ptcl 1-3, **3-1**, **E-5**
within pigi 3-19, 3-20
ptgdb 2-52, 2-54
ptkOptions.tcl A-20
ptlang **E-5**
PTMATLAB_REMOTE_HOST environment variable 2-52, 5-26
Ptolemy.....**2-4**, **E-5**
PTOLEMY environment variable 2-52, B-1, **E-5**
ptolemy user 2-1, B-1
PTOLEMY_SYM_TABLE environment variable... 2-52
PTPWD environment variable 2-52
Pulse (C50 block) **15-7**
Pulse (CG56 block) **13-9**
PulseComp (SDF block)..... **5-43**
PulseGen (DE block)..... 10-8
pulses (SDF demo) **5-54**
push-context, VEM..... 16-9
push-master, VEM..... 16-9
pwd command 3-4
pxgraph 2-9, 5-10, **17-1**, **E-5**
troubleshooting..... A-19

Q

QAM (quadrature amplitude modulation)..... 5-55
qam (SDF demo) **5-55**
QAM16 (SDF block)..... **5-38**
qam16Decode (SDF block) **5-39**
qam16Slicer (SDF block)..... **5-39**
QAM4 (SDF block)..... **5-38**
qam4Slicer (SDF block)..... **5-38**
QAM4withDFE (SDF demo) **5-55**
qAndServer (DE demo)..... 10-27
QCKMON environment variable 2-53
qdm (Graphical DSP Debugger) ... **13-4**, **13-17**, **13-21**
QntBitsInt (C50 block)..... **15-7**
QntBitsLin (CG56 block)..... **15-7**
quadrature amplitude modulation (QAM)...5-38, 5-55
Quant (C50 block) **15-6**
Quant (CG56 block) **13-9**

Quant (CGC block) **12-9**
Quant (SDF block) **5-14**
QuantBitsInt (CG56 block) **13-9**
QuantBitsLin (CG56 block) **13-9**
QuantIdx (C50 block) **15-6**
QuantIdx (CG56 block) **13-9**
QuantIdx (SDF block) **5-14**
quantization 5-13, *5-76*
quantize (CGC demo) 12-19
quantize (SDF demo) **5-52**
Quantizer (SDF block) **5-14**, *5-52*
QuantRange (C50 block) **15-6**
QuantRange (CG56 block) **13-9**
quasi-static schedule 8-1
queue 10-16
queue (DE demo) 10-27
QueueBase (DE block) 10-17
queueing systems 1-6, 4-5, 10-1

R

Rabaey, J. 1-9
radar *6-11*, 6-19
RadarAntenna (SDF block) **5-42**
RadarChainProcessing (HOF demo) **6-19**
RadarTargets (SDF block) **5-42**
radioButton (CG56 CGC/S-56X block) **13-6**
radioButtonInt (CG56 CGC/S-56X block) **13-6**
raised cosine pulses 5-54
RaisedCos (C50 block) **15-11**
RaisedCos (CG56 block) **13-14**
RaisedCosine (SDF block) **5-31**, **5-37**, *5-71*, *5-72*, *5-78*, 6-3
RaisedCosineCx (SDF block) **5-38**
Ramp (C50 block) **15-3**
Ramp (CG56 block) **13-3**
Ramp (CGC block) **12-6**, 14-9
Ramp (DE block) 10-9
Ramp (SDF block) **5-6**, *5-73*
Ramp (SR demo) **10-5**
RampFix (CGC block) **12-6**
RampFix (SDF block) **5-8**
RampInt (C50 block) **15-3**
RampInt (CG56 block) **13-3**
RampInt (CGC block) **12-6**
RampInt (SDF block) **5-8**
RanConst (SDF block) **5-6**
random delay 10-25
random numbers 2-7, 10-9
random signals 5-81
random walk 7-11
RanGen (DE block) 10-9
RankImage (SDF block) **5-48**
rapid prototyping of application-specific signal processors 1-2
RASSP 1-2
rasterized format 6-10
RateChange (CG block) **11-15**
rational Z transform 5-73
ReadFile (CG56 block) **13-4**
ReadFile (SDF block) **5-7**
ReadImage (SDF block) **5-45**
reading from a file 2-19
ReadPCM (SDF block) **5-8**
ReadRGB (SDF block) **5-46**
ReadVar (SDF block) **5-7**
real time 4-6, **E-5**
realTime (DE demo) 10-25
rec2fsk (SDF block) **5-39**
rec2pam (SDF block) **5-39**
rec2psk (SDF block) **5-39**
rec4pam (SDF block) **5-39**
Reciprocal (C50 block) **15-6**
Reciprocal (CG56 block) **13-9**
Reciprocal (CGC block) **12-9**
Reciprocal (SDF block) **5-15**
recompiling Ptolemy A-8
recover-facet, VEM 16-9
recspread (SDF block) **5-39**
Rect (C50 block) **15-3**
Rect (CG56 block) **13-3**
Rect (CGC block) **12-6**
Rect (SDF block) **5-7**, **5-8**, *5-71*
RectCxDoppler (SDF block) **5-42**
RectFix (CGC block) **12-6**
RectFix (SDF block) **5-8**
RectToCx (C50 block) **15-9**
RectToCx (CG56 block) **13-12**
RectToCx (CGC block) 12-11
RectToCx (SDF block) **5-20**
RectToPolar (CGC block) 12-11
RectToPolar (SDF block) **5-20**, *5-75*
recursion 4-4, 6-12, 6-17, 7-1, 7-10, 7-11
recv-2psk (CG56 demo) **13-17**
redraw-window command 2-27
redraw-window, VEM 16-10
Reekie, J. 1-9
reflection coefficients 5-33
reflexGame (FSM demo) **11-4**
registerAction command 3-5, 3-15
register-transfer level simulation 4-12
relTimeScales, target parameter 11-4
removing windows B-4
renameuniv command 3-2, 3-5
Repeat (C50 block) **15-8**
Repeat (CG56 block) **13-11**
Repeat (CGC block) **12-9**
repeat (DDF demo) 7-11
Repeat (SDF block) **5-19**, *5-73*

Repeater (DDF block) 7-10, 7-11
repeater (DDF demo) 7-11
repetitions of actors in SDF 5-3
replacement block 6-1
requireStronglyConsistent 8-2
re-read command 2-11, 16-10
reset command 3-5, 3-11
resources 2-54, 15-2, A-20, B-4
resources parameter 12-2
resources, CG star state 11-14
resources, target parameter 11-4, 11-14
restructure 7-8
restructure parameter in DDF 7-5
retargetting 4-7, 14-1
return in dialog boxes 2-14
reverb (CG56 S-56X demo) **13-17**
Reverse (C50 block) **15-8**
Reverse (CG56 block) **13-11**
Reverse (SDF block) **5-17**, *5-76*
RGBToYUV (SDF block) **5-46**
RLattice (SDF block) **5-32**, *5-85*
rms (CGC block) **12-12**
Rolodex (SR demo) **10-5**
Rotate (C50 block) **15-9**
Rotate (CG56 block) **13-11**
roundRobin (DE demo) 10-28
router (DDF demo) 7-11
Router (DE block) 10-13
router (DE demo) 10-25
rpc-any command 2-11
rpc-any, VEM 16-22
run command 2-7, 2-8, 2-28, 3-5, 3-10, 3-19
run control panel 2-12
run? parameter 12-1
run?, target parameter 11-3
run-all-demos command 2-7
RunLenImage (SDF block) **5-47**
RunLenImageInv (SDF block) **5-47**
run-time flow of control 4-4
run-time scheduling **8-1**, **E-5**
runUntilDeadlock 7-8

S

S56DSP environment variable 2-53
s56XPlot (CG56 CGC/S-56X block) **13-6**
same-scale command 2-11
same-scale, VEM 16-10
SampleMean (SDF block) **5-25**
sampleNholdGalaxy (C50 block) **15-9**
sampleNholdGalaxy (CG56 block) **13-12**
Sampler (DE block) *10-5*, 10-13, 10-25
sampler (DE demo) 10-25
sample-rate conversion 4-3, 4-4, 5-2, 5-53
sampling 5-72
Sangiovani-Vincentelli, A. 1-9
save-window command 2-11, 2-29, 16-10
saving facets 2-41
sawtooth (HOF demo) **6-19**, **6-20**
schedName, target parameter 11-5
schedtime command 3-5
schedule command 3-5, 3-10
schedulePeriod **5-67**, 7-8, 8-2
schedulePeriod, target parameter **5-65**
Scheduler **E-5**
schedulers **8-1**
  CG *11-6*
  SDF **5-66**
  static **5-1**
schematic **2-4**, **E-5**
schematic editing style **2-34**
schematic mode 16-1
schematic view in vem 16-1
scramble (HOF demo) **6-19**, **6-20**
scramble (SDF demo) **5-52**
scrambledCGC (HOF demo) **6-21**
Scrambler (SDF block) **5-38**
screen dumps 2-41
Scripted Runs 5-64
scripting language 3-20
scriptTest (CGC demo) 12-24
SDF **E-5**
  delays **5-4**
  domain **5-1**
  interations 5-3
  loop scheduler **5-66**
  scheduler **5-66**
SDF (synchronous dataflow) **4-3**, **5-1**
SDF domain 1-6, 4-7, 7-1, 14-1
SDF domain within the DE domain 10-4
SDF model of computation 4-7, 14-1
SDF semantics 4-7, 4-14, 14-1
SDF-CGC Wormhole 12-25
SDFinDDF (DDF demo) 7-11
second harmonic distortion 5-39, 5-41
seed command 3-5, 3-13
seed for random numbers 2-7
Select (BDF block) 8-3
Select (CGC block) **12-13**
Select (DDF star) 7-6
selection, VEM 16-15
select-major-net, VEM 16-21
select-net command 2-11
select-objects command 2-11, 2-27, 16-15
select-terms, VEM 16-15
Self (DDF block) 7-10
sendTime, target parameter 11-3
sensor (SDF block) **5-43**
SeqATMCell class 10-21

SeqATMSub (DE block) 10-21
SeqATMZero (DE block) 10-22
SerialIn (SR block) **10-4**
Server (DE block) 10-15, *10-26*, *10-27*
servers
processor sharing 10-27
set-path-width, VEM 16-10
setstate command 3-5, 3-7, 3-20
SGIAudioIn (CGC block) **12-6**
SGIAudioOut (CGC block) **12-8**
SGImonoIn (CGC block) **12-6**
SGIMonoOut (CGC block) **12-8**
Sgn (C50 block) **15-6**
Sgn (CG56 block) **13-9**
Sgn (CGC block) **12-9**
Sgn (SDF block) **5-15**, *5-82*
SgnInt (C50 block) **15-6**
SgnInt (CG56 block) **13-9**
SGVQ (SDF demo) **5-60**
SGVQCodebk (SDF block) **5-34**
SGVQCodebk (SDF demo) **5-60**
SGVQCoder (SDF block) **5-34**
shared data structures 10-22, 10-28
shared resource management 4-5
SharedBus, target *11-6*
shave (DE demo) 10-29
Shifter (C50 block) **15-5**
Shifter (CG56 block) **13-7**
SHLIB_PATH environment variable 2-53
shot noise 4-6
shotNoise (DE demo) 10-28
show-all command 2-11, 2-26, 16-10
show-name command 2-7, 2-10, 3-19
show-property command 16-17
Sigmoid (SDF block) **5-49**
signal processing stars
C50 ..... **15-10**
CG56 ..... **13-13**
SDF **5-30**
Signal Technology Inc. (STI) 1-11
Sih, G. 1-10
Sih-4-1 (CG demo) **11-16**
Silage 1-6, 4-14, **E-6**
Silage domain 4-14
Silage language 4-14
silence detection 10-29
Silva, M. 1-10
SIM_ARCH environment variable 2-53
SimMT-VHDL target 4-7, 14-1
simtest (CGC demo) **12-26**
simulated time 4-2, 10-2, 10-4, **E-6**
simulation **E-6**
simulation domain **E-6**
simultaneous events 4-5
simultaneous events (DE domain) 10-3
SimVSS 4-7
SimVSS-VHDL target 4-7, 14-1, 14-4
Sin (C50 block) **15-6**
Sin (CG56 block) **13-9**
Sin (CGC block) **12-9**
Sin (SDF block) **5-15**
Sinc (C50 block) **15-6**
Sinc (CG56 block) **13-9**
Sinc (CGC block) **12-9**
Sinc (SDF block) **5-16**, *5-78*
sine (C50 demo) **15-13**
sine (CG56 simulator demo) **13-16**
sinescript (SDF demo) 5-65
singen (C50 block) **15-3**
singen (CG56 Galaxy) **13-3**
singen (CGC block) **12-6**, 14-9
singen (SDF block) **5-7**, *5-71*, *5-75*
single appearance schedules 5-66
single key accelerators 2-5
single-key accelerators **2-25**
singular value decomposition (SVD) 5-5
singular vectors 5-36
singular-value decomposition (SVD) 5-25, 5-36
Sink (CG block) **11-15**
sink stars, SDF **5-9**
sinMod (SDF demo) *2-5*, 3-19, **5-52**
sinWaves (SDF demo) 5-61
SJS scheduling 5-67, **5-67**, 11-7
SJS, SDF Scheduler option 5-68
SJS, SDF scheduler option 11-7
Skew (C50 block) **15-7**
Skew (CG56 block) **13-10**
Sleep (CGC block) **12-10**
slider (CG56 CGC/S-56X block) **13-6**
slider (DE demo) 10-30
SmithForm (SDF block) **5-24**, **5-36**
SMpyDblSh (SDF block) **5-29**
snap **2-26**, 2-34, 2-37, **E-6**
sojourn time *10-27*
Sony 1-11
sound 2-38
sound (CGC demo) **12-23**
sound synthesis 4-3
soundHOF (CGC demo) **12-23**
soundHOF (HOF demo) **6-21**
sound-making demos, SDF **5-57**
Source (CG block) **11-15**
source code, finding 2-47
source command 3-5
source stars
C50 ..... **15-2**
CG56 ..... **13-3**
SDF **5-5**

sources (DE demo) 10-30
sox program 2-38
spectral estimation 4-3, 5-35, 5-84
    autocorrelation method 5-34
spectral line splitting 5-85
spectrum plot 2-44
Spectrum Signal Processing 1-11
speech (SDF demo) **5-58**
speech coding 4-3
speech samples 5-83
speechcode (DE demo) 10-29
SpheToCart **5-43**
Spickelmier, R. 1-10, 2-1, 16-1
Spread (CGC block) **12-10**, 12-21
spread (CGC demo) 12-21
Spread (SDF block) **5-38**
Sproc domain 4-13
Sqr (C50 block) **15-7**
Sqr (CG56 block) **13-10**
Sqrt (C50 block) **15-6**
Sqrt (CG56 block) **13-9**
Sqrt (CGC block) **12-9**
Sqrt (SDF block) **5-16**
square (HOF demo) **6-19**, **6-20**
square-root raised cosine pulses 5-54
SR (Synchronous Reactive) domain **4-5**
Src (HOF block) **6-17**
SrcGr (HOF block) **6-17**
Sriram, S. 1-10
SSI (CG56 S-56X block) **13-5**
SSISkew (CG56 S-56X block) **13-5**
Stack (DE block) 10-16, *10-26*, *10-27*
Stanford University 4-12
Star **2-4**, **E-6**
star **E-6**
star command 3-4, 3-5
Star Semiconductor 1-11, 4-13
starting pigi, the GUI 2-2, 2-53
State **2-14**, **E-6**
state 3-6, **E-6**
    intial value 2-15
    vs. parameter 2-15
statevalue command 3-5
static scheduling, SDF **5-1**
statically evaluated recursion 6-12, 6-17
staticBuffering parameter 12-1, 14-3
Statistics (DE block) 10-23, *10-25*
statistics (DE demo) 10-25
steep Blackman window 5-57, *5-79*
SteepBlackman **5-7**
steering 6-19
steering (SDF block) **5-44**
steering vector 6-19
StereoIn (CGC block) **12-6**
StereoOut(CGC block) **12-7**
Stewart, M. 1-9, 10-1, 12-1
stop time 10-2, **E-6**
stoptime command 3-5
StopTimer (DE block) 10-17, 10-26
streams 6-2
string array parameter 2-19
string parameter 2-17, 2-19
stringColor **2-37**
StringToInt (SR block) **10-4**
stripChart (DE demo) 10-30
struct-VHDL target 4-7, 14-1
stty tostop A-17
Sub (C50 block) **15-4**
Sub (CG56 block) **13-6**
Sub (CGC block) 12-8
Sub (SDF block) **5-12**
Sub (SR block) **10-4**
Sub_M (SDF block) **5-25**
SubAntenna (SDF block) **5-43**
subbandcoding (SDF demo) **5-59**
SubCx (C50 block) **15-4**
SubCx (CG56 block) **13-7**
subdomain **4-4**
SubInt (C50 block) **15-4**
SubInt (CG56 block) **13-7**
SubMx_M (SDF block) **5-25**
SumImage (obsolete SDF block) 5-44
Sun lightweight process library 4-13
SunVideo (SDF block) **5-46**
SVD_M 5-36
SVD_M (SDF block) **5-25**, **5-36**
SVD_MUSIC_1 (SDF block) **5-63**
SVD_MUSIC_2 (SDF block) **5-63**, **5-64**
Switch (BDF block) **8-3**
Switch (CG block) **11-15**
Switch (CGC block) **12-13**
Switch (DE block) *10-26*
switch (DE demo) 10-26
Switch4x4 (DE block) 10-20
SwitchDelay (CG56 block) **13-5**
SwitchDelay (CG56 CGC/S-56X block) **13-6**
switch-facet, VEM 16-10
symbolic debugger 2-53
symbolic debugging 2-52
symbolic mode 16-1
Synchronize (DE block) 10-18, *10-25*
synchronized mode, DE 10-6
synchronous dataflow 1-6, **5-1**, 12-1, **E-6**
synchronous signal processing systems **4-3**, 5-1
Synopsys 1-11
Synopsys Design Analyzer 4-7, 14-1
SYNOPSYS environment variable 2-53
Synopsys VSS VHDL simulator 4-7, 14-1, 14-4, 14-5

synth (CGC demo) 12-23
synth (CGC S-56X demo) **13-18**
SynthControl (SR block) **10-4**
synthFFT (CGC S-56X demo) **13-18**
Synth-VHDL target 4-7, 14-1
system palette 2-30

T

Table (C50 block) **15-6**
Table (CG56 block) **13-9**
Table (CGC block) **12-9**
Table (SDF block) **5-16**
Table_M (SDF block) **5-25**
TableCx (SDF block) **5-16**
TableInt (C50 block) **15-7**
TableInt (SDF block) **5-16**
Tahiti A-21
Target 4-2, 4-7, 14-1, **E-6**
target **E-6**
target command 3-5, 3-12
target parameters 3-12
target, code generation *11-1*
targetparam command 3-5, 3-12
targets 3-12
  default-DDF 7-8
targets command 3-5, 3-12
tbus (SDF demo) **5-53**
Tcl 1-3, 1-10, 1-11, **2-4**, 2-18, 3-1, **E-6**
  as a scripting language 3-20
Tcl stars, SDF **5-50**
Tcl/Tk 5-10
TCL_LIBRARY environment variable 2-52
TclScript (CGC block) **12-6**, **12-7**, **12-9**
TclScript (DE block) **10-8**, **10-11**, 10-23
TclScript (SDF block) **5-7**, **5-11**, **5-16**
tclScript (SDF demo) 5-61
TclTk Target target 12-3
TclTk_Target target 12-24
telephone channel simulation 5-39, 5-41
TelephoneChannel (SDF block) **5-42**
telephoneChannel (SDF block) **5-39**
telephoneChannelTest (SDF demo) **5-55**
terminals
  moving 2-37
  names 2-45
  reorienting 2-37
Test (DE block) 10-18, *10-24*
Test (SDF block) **5-17**, *5-51*
TestLevel (DE block) 10-19
TestMultirate (CG block) **11-15**
testPacket (DE demo) 10-26
testPostTest (C50 demo) *15-12*
testPostTest (CG56 demo) *13-15*
testServers (DE demo) 10-27
TeX 2-42, 15-1
Texas Instruments 1-11, 15-1
text 16-3
text editor 2-51
text widget 2-13
The Math Works, Inc. 5-26
Thege, K. 1-9
ThermalNoise (SDF block) **5-43**
third 5-39, 5-41
third harmonic distortion 5-39, 5-41
Thomson-CSF 5-26
Thor domain 1-7, **4-12**, **E-6**
Thresh (CGC Block) **12-9**
threshold 7-12
threshtest (DDF demo) 7-12
Through (CG block) **11-15**
tightly interdependent subgraphs 5-67
time
  DE domain 10-4
  simulated 10-2
time stamp 10-1, **E-7**
timed domain 10-6, **E-7**
timed domains 4-2
Timeout (DE block) 10-17, *10-26*
timeout (DE demo) 10-26
TimeoutStar (DE block) 10-18
Timer (DE block) 10-18, *10-25*
TimeStamp (DE star) 10-17
timeVarSpec (SDF demo) **5-57**
timing (DDF demo) 7-12
timing (SDF demo) 8-4
timing recovery 4-4, 7-12
Tk 1-11, **2-4**, 3-14, **E-7**
Tk options 2-55
TK_LIBRARY environment variable 2-52
TkBarGraph (CGC block) **12-7**
TkBarGraph (DE block) 10-11
TkBarGraph (SDF block) **5-10**
TkBreakPt (SDF block) **5-11**, **5-18**
TkButtons (DE block) **10-9**
TkButtons (SDF block) **5-8**
TkCheckButton (CGC block) **12-6**, **12-7**
TkEntry (CGC block) **12-7**
TkImageDisplay(SDF block) **5-45**
TkImpulse (CGC block) **12-7**
TkMeter (DE star) 10-11
TkMeter (SDF block) **5-11**, *5-62*
tkMeter (SDF demo) 5-62
TkMonoIn (CGC block) **12-6**
TkMonoOut (CGC Block) 12-24
TkMonoOut (CGC block) **12-8**
tkoct **E-7**
TkParametricEq (CGC block) **12-14**
TkPlot (CGC block) 12-7

TkPlot (DE block) 10-11
TkPlot (SDF block) **5-10**
TKRadioButton (CGC block) **12-7**
TkRadioButton (CGC block) **12-7**
TkShowEvents (DE block) 10-12
TkShowValues (DE block) 10-12
TkShowValues (SDF block) **5-10**, *5-62*
tkShowValues (SDF demo) 5-62
TkSlider (CGC Block) **12-6**
TkSlider (DE star) 10-9
TkSlider (SDF block) **5-8**
TkStereoIn (CGC block) **12-6**
TKStereoIn(CGC block) **12-6**
TkStereoOut (CGC block) **12-8**
TkStripChart (DE block) 10-12
TkText (DE star) 10-12
TkText (SDF block) **5-11**, *5-62*
TkXYPlot (CGC block) **12-7**
TkXYPlot (DE block) 10-12
TkXYPlot (SDF block) **5-10**
TMS320C5x 15-1
Toeplitz matrices 5-24, 5-25, 5-36
Toeplitz_M (SDF block) **5-24**
toggle-grid command 2-11
toggle-grid, VEM 16-11
token 5-1, **E-7**
Tone (C50 block) **15-3**
Tone (CG56 block) **13-3**
tonecontrol (CGC demo) **12-27**
ToneStrength (CGC block) **12-13**
ToneStrength (SDF block) **5-40**
topblocks command 3-5
Trainer (SDF block) **5-18**
transfer functions 5-73
transform command 2-11, 2-45
transform, VEM 16-16
transmitter (C50 demo) **15-13**
transmitter (CG56 simulator demo) **13-16**
transportation networks 4-5
Transpose (SDF block) **5-18**
Transpose_M (SDF block) **5-25**
tremolo (CGC demo) **12-24**
troff 15-1
True (BDF block) 8-3
Tsu, W. 14-1
tune (CG56 simulator demo) **13-16**
twm window manager A-21
two's complement 5-77
two-dimensional FFT 6-10
Tycho **E-7**
Tycho command 2-7
TYCHO environment variable 2-52
type conversion 5-80
types 2-20

U

UDCounter (DE block) 10-23, *10-26*
unbiased autocorrelation estimates 5-86
undecidable 7-3
undo command 2-11, 2-27
uniform distribution 10-9
uniform white noise 5-6, 13-3, 15-3
unit step function 5-74
United States Air Force 1-2
Universe **2-4**
universe **2-5**, **E-7**
universe (CGC demo) 12-25
universe parameters 2-32
universes
    creating and deleting 3-2
University of Colorado 4-12
univlist command 3-2, 3-5, 3-19
unixMulti_C CGC target 12-3
UnPacketize (DE block) 10-14
UnPk_M (SDF block) **5-24**
unresolvable type conflict 5-80
unselect-objects command 2-11, 2-27
unselect-objects, VEM 16-16
unstable fitlers 5-56
untimed domains 4-2
unvoiced speech 5-85
Unwrap (SDF block) **5-36**, *5-75*, *5-81*
upDownCount (DE demo) 10-26
UpSample (C50 block) **15-8**
UpSample (CG56 block) **13-11**
UpSample (CGC block) 12-9
upsample (CGC demo) 12-20
UpSample (SDF block) 5-2, **5-19**, *5-73*
upSample (SDF demo) **5-53**
useless (CG demo) **11-17**
useOldScheduler 7-8
USER environment variable 2-53
user iteration 7-4
user.pal palette 2-29
Utah Raster Toolkit (URT) 5-45

V

VarDelay (C50 block) **15-9**
VarDelay (CG56 block) **13-12**
varDelay (CG56 simulator demo) **13-16**
VarDelay (DE block) 10-15
variance of a random process 10-25
VarQuasar (C50 block) **15-7**
VarQuasar (CG56 block) **13-10**
VarServer (DE block) 10-16
VClock (DE demo) 10-28
vector processing in the SDF domain 5-2
Vector Quantization 5-60
vem 1-11, 2-4, **2-4**, **2-21**, 16-1, **E-7**

arguments 16-3
command arguments 2-24
command line options 16-2
making a box 2-24
making a line 2-24
menu 2-9, 2-11, 2-35
placing a point 2-24
selecting objects 2-24
text arguments 2-24
vem menu 16-3
Verilog 4-12
version command 2-7
version, VEM 16-11
VHDL 1-6, **E-7**
codefile 4-7
domain 4-7, 4-14, 14-1
star 4-7
VHDL (VHSIC Hardware Description Language) .. 4-7, 4-14, 14-1
VHDLB **E-7**
domain 4-7, 4-14, 14-1
VHDLF **E-7**
domain 4-14
star 4-14, 14-1
VHSIC Hardware Description Language (VHDL) 4-7
vi 2-51
video coding 4-3, 4-5, 5-46
video display 5-45
video processing demos, SDF **5-59**
videodpy (SDF block) **5-45**
videosrc (SDF block) **5-46**
VirtClock (DE block) 10-21
virtual clock algorithm 10-21
virtual clock buffer service discipline 10-28
VISAddsh (CGC block) **12-15**
VISAddSh (SDF block) **5-29**
visaudioio (CGC demo) **12-26**
VISBiquad **12-16**
VISBiquad (SDF block) **5-29**
VISFFTCx (CGC block) **12-16**
VISFFTCx (SDF block) **5-29**
VISFIR (CFC block) **12-16**
VISFIR (SDF block) **5-29**
VISInterleaveIn (CGC block) **12-17**
VISInterleaveOut (CGC block) **12-17**
VISMpyDBLsh (CGC block) **12-15**
VISMpyDblSh (SDF BLock) **5-29**
VISMpysh (CGC block) **12-16**
VISPackSh (SDF block) **5-29**
VISStereoBiquad (CGC block) **12-18**
VISStereoIn (CGC block) **12-17**
VISSTereoOut (CGC block) **12-17**
VISSubsh (CGC block) **12-15**
VISSubSh (SDF block) **5-29**
vistonecontrol (CGC demo) **12-26**
visual programming 6-2
VISUnpackSh (CGC block) **12-17**
VISUnPackSh (SDF block) **5-30**
VISUnpackSh (SDF block) **5-30**
voiced speech 5-85
vox (SDF demo) **5-58**
VQCoder (SDF block) **5-34**

W

waitNum, DDF method 7-6
waitPort 7-1
waitPort, DDF method 7-6
walking menu 2-4, 2-9, 2-10
Walter, G. S. 1-10, 5-1, 10-1
Warner, P. 1-10
Warzee, X. 5-26, 14-7
WasteCycles (C50 block) **15-9**
WasteCycles (CG56 block) **13-12**
Waterfall (SDF block) **5-10**
waterfall plot 5-57
WaveForm (C50 block) **15-3**
WaveForm (CG56 block) **13-3**
WaveForm (CGC block) **12-6**, 14-9
WaveForm (DE block) 10-10
WaveForm (SDF block) **5-7**, *5-83*
WaveFormCx (SDF block) **5-8**
wavelet decomposition 5-53
wfir program C-4
When (SR block) **10-4**
where command 2-11
where, VEM 16-11
where_defined parameter 6-2
white noise 5-6, 5-39, 5-55, 13-3, 15-3
White, K. 1-9, 1-10, 3-22, 5-70, 11-1, 12-1, 13-1, A-1
whitening filters 5-81
Wiener filtering 5-81
wildColors (HOF demo) **6-18**, **6-20**
wildColorsCGC (HOF demo) **6-21**
Williamson, M. 1-10, 4-1, 14-1
Window (CG56 block) **13-14**, **15-11**
Window (SDF block) **5-7**, **5-36**, *5-78*
window (SDF demo) **5-57**
window FIR command 2-7
window manager crashes A-21
window method for FIR filter design C-1
Window System Problems A-20
window-options command 2-11
window-options, VEM 16-11
wireless (DE demo) 10-28
wireless networks 4-5
Wolfram Research Inc. 1-11
Wong, A. 1-10, 1-11
workman program 2-38

worm (DE demo) 10-29
Wormhole..... **2-4**
in pigi 2-55
in ptcl 3-9
wormhole 7-11, 10-4, **E-7**
DDF..... 7-7, **7-12**
forcing outputs in DE..... 10-17
wormholes in the interpreter 3-18
wormTest (CGC demo)..... **12-26**
wrapup command..... 3-5, 3-10, 3-19
WriteFile (CG56 block) 13-4
WriteVar (SDF block)..... **5-11**
write-window, VEM 16-11

X

X resources..... 2-43, 2-54, 15-2, 16-2, B-4
X window dumps 2-53
X window resources..... 2-54, A-20
X window system..... 2-2, B-1
X11 include files A-27
X11R4 ..... B-1
xgrabsc program..... 2-42
Xgraph..... 1-12
Xgraph (CG56 CGC/S-56X block)..... **13-6**
Xgraph (CG56 Simulator Block) **13-4**
xgraph program 2-9, **17-1**
Xhistogram (DE block) 10-11
Xhistogram (SDF block) **5-10**, *5-52*
Xilinx 1-11
Xlib.h..... A-27
XMgraph (CGC block) **12-7**
XMgraph (DE block) 10-11
XMGraph (SDF block) *5-70*
XMgraph (SDF block) 3-19, **5-10**, *5-73*
xmit2fsk (SDF block)..... **5-38**
xmit2pam (SDF block)..... **5-38**
xmit-2psk (CG56 demo) **13-17**
xmit2psk (SDF block) **5-38**
xmit2rec (SDF demo)..... **5-55**
xmit4pam (SDF block)..... **5-38**
xmit4rec (SDF demo)..... **5-55**
xmitber (SDF demo) **5-55**, 5-65
xmitspread(SDF block) **5-38**
Xor (C50 block) **15-7**
Xor (CG56 block) **13-10**
xor (CGC galaxy)..... **12-9**
xorBinary (SDF block)..... **5-49**
xorSigmoid (SDF block)..... **5-49**
xpr 2-42
xrdb 2-54
Xscope (CGC block)..... **12-7**
Xscope (SDF block)..... **5-10**
xwd..... 2-42
XYgraph (CGC block) **12-7**
XYgraph (SDF block) **5-10**
xyplot (CGC demo) **12-25**
xyplot (DE demo) 10-31
xyplot (SDF demo) 5-62

Y

Yu, C..... 1-9
YUVToRGB (SDF block)..... **5-46**

Z

Zhang, H. 1-9, 10-2
ZigZagImage (SDF block) **5-47**
ZigZagImageInv (SDF block) **5-47**
Zimmerman, K. 1-9
zoom-in command..... 2-11, **2-26**
zoom-in, VEM..... 16-11
zoom-out command..... 2-11, **2-26**
zoom-out, VEM..... 16-11