

# Repurposing an HP Calculator

## Lab 4: An RPN Calculator

### Computer Science and Computer Engineering Gateway Project

Stephen A. Edwards

Fall 2012

#### Abstract

In this lab, you will write code that will let the user perform calculations using reverse Polish notation (RPN).

#### What To Do

In the last lab, you wrote a routine that lets the user enter numbers and operations; in this lab, you will write code that uses it to make the calculator behave like an HP-style RPN calculator.

The spec. is simple: make your calculator work like an RPN calculator. One of my favorite documents describing this approach is the user manual for the HP-35, the first pocket-sized scientific calculator. This manual can be found online at <http://www.lkjsdf.com/archive/hp/35/manual/>.

Broadly, to calculate  $12 \times 2 + 3 \times 4$ , the user should enter  $1\ 2\ \uparrow\ 2\ \times\ 3\ \uparrow\ 4\ \times\ +$ , where  $\uparrow$  indicates the *Input* key.

Make your calculator work for the basic arithmetic operators (+, -,  $\times$ ,  $\div$ ). You may use your own *keyboard\_get\_entry* function from Lab 3 or use the one I supplied in the *lab4.tar.gz* file on the website.

Make your stack hold at least four numbers (i.e., as many as the HP-35 did). Be sure to gracefully handle stack underflow and overflow.