Index

Symbols

$codeblockSymbol macro ... **16-4**
$label macro ... **16-4**
$ref macro ... **16-4**
$sharedSymbol macro ... **16-4**
$size macro ... **16-4**
$starSymbol macro ... **16-4**
$val macro ... **16-4**
*stateWithName ... **3-2**
~Runnable ... **3-11**

A

abs function ... **12-1**
add method ... **16-2**
addBlock ... **3-6**
addCode method ... **16-4**
addDeclaration method ... **18-9**
addGlobal method ... **18-9**
addInclude method ... **18-9**
addMainInit method ... **18-9**
addNode ... **3-9**
addPort ... **3-3**
addProcedure method ... **16-4**
addSpliceStars() method ... **18-4**
addStar ... **3-8**
addState ... **3-3**, **3-9**
addStream method ... **16-1**
adjustSchedule ... 18-16
advance method ... **6-7**, **16-10**, **16-12**
alias ... **3-7**, **3-8**
alias method ... **6-2**
aliasFrom method ... **6-2**
allocateBuffer method ... **6-7**
allocateGeodesic method ... **6-5**, **18-10**
allocateLocalPlasma method ... **6-6**
allocateMemory() method ... **18-1**
allocatePlasma method ... **6-6**
amISpreadCollect method ... **18-11**
append method ... **16-2**, **16-3**, **16-6**
appendedName method ... **18-7**
arg function ... **12-1**
asGalaxy ... **3-2**, **3-6**
asLinearBuf ... 18-3
AsmTarget class ... 17-7
asPort ... **5-3**
asStar ... **3-2**, **3-4**
atBoundary method ... **6-4**
Attribute class ... **1-11**
attributes method ... **6-2**
AutoFork class ... **6-9**
AutoForkNod class ... **6-9**

B

backup method ... **6-7**
BaseSymbolList class ... 16-5, **16-5**, 16-6, 16-7
BaseSymbolList constructor ... **16-6**
beginIteration method ... **18-13**
bitWord ... **1-11**
Block class ... **3-1**, 3-4, 3-5, 4-1
blockWithDottedName ... **3-10**
blockWithName ... **3-6**
Buck, J. T. ... 4-1, 8-1, 11-1
buffer ... **5-4**
buffer embedding ... **16-12**
buffer management ... **16-12**
bufPos method ... **16-12**
bufSize method ... **16-9**, **16-12**
bufSize() method ... **18-3**
buildEventHorizons ... **5-2**
busConnect ... **3-8**

C

capacity method ... **6-14**
CG domain ... **16-1**
CG utility functions ... **16-10**
CGCGeodesic ... 18-2
CGCMultiTarget class ... **18-13**
CGCPortHole ... 18-2
CGCPortHole class ... **18-9**
CGCStar class ... **18-10**
CGCTarget ... 18-4, **18-11**
CGCTarget class ... **18-1**
cgGeo method ... **16-14**
CGGeodesic class ... **16-8**, 16-9, 16-10, 16-12
CGMultiTarget class ... 15-14, 15-19, 17-4, 17-7, 17-9, **17-10**, 17-10, 17-14, 17-15, 18-14
CGPortHole class ... 16-9, 16-10, **16-12**, 16-14
CGSharedBus class ... **17-14**
CGStar class ... 16-2, 16-4, 16-5, 16-6, 16-7, 16-8, **16-10**, 16-11
CGStarPortIter class ... **16-10**
CGTarget class ... 4-3, 15-16, 16-1, 16-2, 16-7, 16-8, **17-1**, 17-7, 18-1
cgTarget method ... **16-11**
CGWormStar class ... 15-14
char* method ... **16-3**
CIntervalListIter class ... **12-4**
CircularBuffer class ... **6-7**
className ... **3-10**
clearParticle method ... **6-6**
Clock class ... **12-5**
Clock constructor ... **12-5**
clone ... **3-10**
CNamedObjListIter class ... **1-11**
CodeBlock class ... 16-1, **16-3**
CodeBlock constructor ... **16-3**

CodeBlockandMacros 18-9
codeblockError method **16-5**
codeblockSymbol member **16-5**
codeGenInit method **18-12**
CodeStream class 16-1, **16-1**, 16-2
CodeStreamList class **16-2**
codeStringLists member **16-1**
commInit **18-9**
compileCode method **18-12**
compileCommand 18-11
compileLine method **18-12**
compileOptions 18-11
compileRun method **18-12**
completelyBefore method **12-3**
Complex class **12-1**
ComplexState class **9-5**
conj function **12-1**
connect **3-6**, **3-8**
connect method **6-3**
contains method **12-4**
copyStates **3-4**
correctName method **18-6**
cos function **12-1**
counter member **16-8**
createCollect method **18-15**
createReceive method **18-15**
createSend method **18-15**
createSpread method **18-15**
CriticalSection class **2-1**
curId 18-6, 18-12

D

dataParallel member **16-11**
Davis, J. S 4-1, 17-1
DCArc class **15-25**
DCArcList class **15-25**
DCClustArc class **15-30**
DCClustArcList class **15-30**
DCCluster class **15-27**
DCClusterList class **15-29**
DCGraph class **15-26**
DCNode class **15-24**
decCount method **6-12**, **6-14**
DeclusteringScheduler 15-31, 17-11
DeclustScheduler class **15-23**
deferrable method **16-11**
deletePlasma method **6-6**
delLock method **6-13**, **6-14**
delNode **3-9**
delPorts method **6-9**
delStar **3-9**
den method **12-2**
descriptor **1-10**
disableLocking method **6-5**
disconnect **3-9**
disconnect method **6-4**, **6-11**
displaySchedule **3-11**
DLGraph class **15-17**
dlopen 8-1
DLParProcs class 15-18, **15-19**
DLScheduler class **15-18**, 15-22
doCompile 18-11, 18-14
domain **3-2**, **3-6**
Domain class 3-7, **10-4**
domain method **16-11**
doRun 18-14
DoubleLink class **1-4**
DoubleLinkIter class **1-6**
DoubleLinkList class **1-5**
doubly linked lists **1-4**
DynamicGalaxy class **3-7**
DynamicLevelScheduler 15-2, 17-11
DynDFPortHole class 16-12
DynDFStar class 16-10

E

EGGate class 13-4
EGNode class 13-3
elapsedTime method **12-5**
embed method **16-13**
embedded method **16-13**
embeddedPort member **16-13**
embedding 18-1
embedding method **16-13**
embeddingFlag member **16-13**
embedHere method **16-13**
empty method **6-10**, **6-14**, **12-4**
enableLocking method **6-5**
end method **12-3**
endIteration method **18-13**
endsBefore method **12-3**
errMsg method **6-8**
Error class 4-1, **4-7**, 4-8
EventHorizon **5-3**
EventHorizon method **6-4**
exp function **12-1**
expandMacro method **16-5**
expandPathName procedure 1-2
expandPortName method **16-10**
expandRef method **16-5**, **18-10**
expandSize method **16-5**
expandVal method **16-5**

F

far method **6-4**
finalBufSize(int statBuf) method **18-2**
FlagArray class **1-9**, **1-12**
flags **1-9**
FloatArrayState class **9-5**

FloatState class **9-5**
forceGrabData method **16-14**
forceSendData method **16-14**
fork method **16-9**
forkDelay method **16-9**
ForkDestIter **18-10**
forkDests member **16-9**
forkInit method **16-8**
forkProcessing method **16-14**
forkSrc member **16-9**
forkType method **16-9**
Fraction class **12-2**
frameCode method **18-9**
freeContents **5-2**
freeup method **6-10**
FromEventHorizon **5-5**
full method **6-14**
funcName 18-11

G

GalAllBlockIter 3-7
Galaxy class 3-1, **3-5**, 5-1
galDataStruct method **18-7**
galId 18-6, 18-12
GalMultiPort class **6-15**
galP **3-11**
GalPort class **6-15**
GalStarIter 3-7
galStruct **18-8**
GalTopBlockIter 3-7
GenericPort class **6-1**
genPortWithName **3-2**
geo method **6-5**, **18-10**
Geodesic class **6-10**
geodesic switching **16-13**
get method **6-10**, **6-12**, **6-13**, **16-2**, **16-3**, **16-6**, **16-7**
getActualRef method **18-11**
getBufName 18-6
getData **5-4**
getForkSrc method **18-10**
getGeoName method **18-6**
getMachineInfo method **18-15**
getMyMultiPortHole method **6-5**
getParticle method **6-6**
getPlasma method **6-13**, **6-14**
getPortNumber method **18-15**
getProcId method **16-12**
getProfile method **16-11**
getq method **6-15**
getStopTime **5-2**
getStream method **16-2**
getText method **16-3**
getTimeMark **5-4**
ghostAsPort **5-3**
ghostConnect **5-3**
ghostPort **5-4**
giveUpStatic() method **18-4**
globalDecls **18-8**
go **3-5**
Goel, M. 18-1

H

Ha, S. 16-1, 17-1, 18-1
hashstring procedure 1-2
hasInternalState **3-5**
hasStaticBuf 18-3
head method **6-10**
headerCode method **18-13**
here method **6-7**
HeterogeneousSupport 15-14
hidden function **6-2**
Histogram class **11-8**
HLLTarget 18-11
HLLTarget class **17-7**, 18-11
HOF portholes 6-18
hostMachine 18-11
hostName method **18-13**
HuGraph class **15-21**
HuLevelScheduler 17-11
HuNode class **15-20**
HuParProcs class 15-19, **15-22**
HuScheduler class **15-21**
Hylands, C. 8-1

I

imag function **12-1**
inBufSize method **18-10**
incCount method **6-12**, **6-14**
InCGCPort 18-10
InCGPort class **16-14**
include **18-8**
incrementalAdd method **18-13**
index **3-4**
index method **6-5**
InfString class **11-3**
inheritTypeFrom method **6-3**
initCode method **16-11**
initCodeStrings **18-9**
initDelayValues method **6-13**
initialize **3-2**, **3-5**, **5-4**, **5-5**
initialize method **6-4**, **6-8**, **6-12**, **6-15**, **16-2**, **16-6**, **16-7**, **16-10**
initOffset() method **18-2**
initState **3-3**, **3-6**
initSubblocks **3-7**
initTarget **3-11**
innerSched **5-4**
insertGalaxyCode method **18-13**
insideDomain **5-1**

installPort method **6-9**
int allocateMemory() **18-1**
IntArrayState class **9-5**
internalBufSize method **16-9**
InterpGalaxy class 3-5, **3-7**, 6-15
InterpUniverse **3-11**
InterpUniverse class **3-11**
intersects method **12-3**
Interval class **12-2**
IntervalList class **12-2**
IntervalListIter class **12-4**
IntState class **9-5**
isA method 1-8, **16-11**
ISA_FUNC macro 1-9
isaFork method **16-8**
isAfter method **12-3**
isItAtomic **3-1**, **3-6**
isItFork method **16-8**
isItInput **5-3**
isItInput method **6-1**
isItMulti method **6-1**, **6-8**
isItOutput **5-3**
isItOutput method **6-1**
isItPersistent method **6-11**
isItWormhole **3-2**
isLocal method **6-13**
isLockEnabled method **6-6**, **6-13**
isParallel method **16-11**
isSDF method **16-11**
isUnique method **16-2**
Iterators 1-1, 3-1

K

KeptGate class **2-3**
KnownBlock class 3-1, 3-7, 3-10, **10-1**, 10-5
KnownBlockIter class **10-2**
KnownState class **9-5**, **10-5**
KnownTarget class **10-3**
KnownTargetIter class **10-4**

L

Lane, T. 6-1
last method **6-7**
ld 8-1
LD_LIBRARY_PATH environment variable 8-3
length method **6-15**, **12-3**
linearBuf() method **18-3**
linked list **1-3**
linker 8-1
Linker class 8-2
linkOptions 18-11
list classes **1-3**
ListIter class **1-4**
localBufSize method **16-9**, **16-12**
log functino **12-1**
lookup method **16-6**, **16-7**
lookupSharedSymbol method **16-7**

M

MachineInfo class 18-14
machineNames 18-14
macroError method **16-5**
macros **16-3**
mainClose **18-9**
mainDecls **18-9**
mainInit **18-9**
makeLock method **6-12**, **6-14**
makeLower function **16-10**
makeNew **3-3**, **3-10**
makeNew method **6-13**
makingFunc method **18-8**
matchMacro method **16-5**
maxBufReq() const method **18-3**
maxComm method **16-12**
maxNumParticles method **6-12**
merge method **12-3**
mergeableWith method **12-3**
minNeeded method **16-8**
moreThanOne method **6-10**
moveDataBetweenShared 18-6
moveDataBetweenShared() method **18-5**
moveFromGhost **5-4**
MultiCGCPort 18-10
MultiCGPort class **16-14**
MultiDFPort class 16-14
MultiInCGCPort 18-10
MultiInCGPort class **16-14**
MultiOutCGCPort 18-10
MultiOutCGPort class **16-14**
MultiPortHole class 3-1, 5-5, 6-1, **6-8**, 6-15
multiPortNames **3-2**
multiPortWithName **3-2**
MultiTarget class 17-7, **17-8**, 17-10
myCode 18-12, 18-13
myCode member **16-1**
myTarget **3-12**

N

NamedList class 16-2, **16-3**, 16-5, 16-7
NamedListIter class **16-3**
NamedObj class **1-7**, 3-1, 6-1, 6-11, **9-1**
NamedObjList class **1-10**
NamedObjListIter class **1-11**
nameSuffix 18-14
newConnection method **6-3**, **6-8**
newName method **6-9**
newPort method **6-8**, **16-14**
newStream method **16-2**
newTarget **3-12**
next method **6-7**, **16-10**

nodeConnect **3-9**
NodePair class 15-4, **15-6**
NodeSchedule class **15-12**
noInternalState **3-5**
norm function **12-1**
num method **12-2**
numberBlocks **3-6**
numberMPHs **3-1**
numberPorts **3-1**
numberPorts method **6-8**
numberStates **3-1**
numInit method **6-12**
numInitDelays method **6-5**
numPorts **3-9**
numTokens method **6-5**
numXfer method **6-5**

O

offset member **16-12**
offsetName method **18-7**
oneStarOneProc 18-16
onlyOne **5-3**
operator++ method **16-10**
origin method **12-3**
OutCGCPort 18-10
OutCGPort class **16-14**
outerSched **5-2**, **5-4**
outputComment method **16-10**

P

pairSendReceive method **18-15**
ParallelSchedulers 13-1
parameter **9-1**
ParGraph class 15-3, **15-4**
ParNode class **15-1**
ParProcessors class 15-7, **15-9**, 15-12, 15-14
ParScheduler class **15-6**
Particle class 6-1, 7-5
ParticleQueue class **6-14**
ParticleStack class **6-10**, 6-13
pathSearch procedure 1-2
Plasma class **6-13**
Pointer type 1-3
pop method **16-7**
PortHole class 3-1, 6-1, **6-3**, 6-15
portHoleConnect method **6-13**
portNumber 18-14
portWithName **3-2**
POSTFIX_OP 1-1
pow function **12-1**
preferLinearBuf(int i) method **18-3**
preferredType method **6-5**
preinitialize **3-3**, **3-5**, **3-10**
preinitialize phase 6-18
prepCode method **18-15**
prepend method **16-3**, **16-6**
previous method **6-7**
print **3-2**, **3-4**, **3-6**
print method **6-2**, **6-12**
printCode method **16-3**
printPorts **3-2**
printStates **3-4**
procedures member **16-1**
processCode method **16-4**
ProcessorIter class **15-17**
procId member **16-11**
Profile class 15-3, 15-9, 15-20, 16-12
profile member **16-11**
progNotFound procedure 1-3
pt_ifstream **11-6**
pt_ofstream **11-6**
PtGate class **2-1**
push method **16-7**
pushBack method **6-12**
put method **6-10**, **6-12**, **16-2**
putData **5-5**
putParticle method **6-6**
putq method **6-15**
putStream method **18-13**
putTail method **6-10**

Q

Queue class **1-7**

R

ready **5-5**
real function **12-1**
realFarPort method **18-10**
realPort method **6-2**, **6-8**
receiveData method **6-4**
receiveWormData method **18-14**
referencedStates 18-8
References 15-17, 15-22, 17-1
registerState method **18-8**
remove method **16-2**, **16-3**, **16-6**
removeBlock **3-6**
removePort **3-3**
removeStream method **18-13**
requestBufSize(int sz) method **18-2**
reset method **6-7**, **12-5**
resolvedType method **6-4**
resource management **16-8**
ResourceManagement 16-12, 18-2
resources 18-12
revertGeo method **16-13**
rshSystem function **16-10**
run **3-3**, **3-4**, **3-11**, **3-12**, **5-2**
run method **16-11**
runCode method **18-13**
runIt() method **18-6**

Runnable **3-10**
Runnable class..... **3-10**, 5-1

S

sanitizedFullName **18-6**
saveFileName..... 18-11
savestring procedure 1-2
scheduler **3-2**, **3-11**, **3-12**
Scheduler class..... 3-2, **4-5**
ScopedSymbolList class **16-7**
SDFStar class 16-10
sectionComment method..... **18-7**, **18-12**
sendData method..... **6-4**
sendWormData method..... **18-14**
separator member..... **16-8**
SequentialList class..... **1-3**, 1-10, 16-3
setAlias method..... **6-3**, **6-4**, **6-8**
setAttributes method **6-3**
setBlock..... **3-3**
setBufferType method..... **18-1**
setBufName method..... **18-6**
setCapacity method **6-15**
setCounter method **16-6**, **16-7**
setDelay method..... **6-5**, **6-11**
setDescriptor **3-8**
setDest method..... **6-9**
setDestPort method **6-11**
setDomain **3-6**, **3-9**
setEventHorizon..... **5-4**
setFlags() method..... **18-3**
setForkBuf method..... **16-14**
setForkSource method..... **16-9**
setGeoName method..... **18-6**
setHostName method..... **18-13**
setMachineAddr method..... **18-15**
setOffset method **18-2**, 18-5
setPort method..... **6-3**, **6-4**, **6-8**
SetPreferredType method **6-7**
setProcId method..... **16-12**
setSeparator method..... **16-6**, **16-7**
setSource method..... **6-9**
setSourcePort method **6-11**
setState **3-4**, **3-9**
setStopTime **3-11**, **5-1**
setTarget..... **3-5**
setTarget method..... **16-11**
setText method..... **16-3**
setTimeMark **5-4**
setup **3-4**, **5-2**, 18-14
setup method **18-12**
setupForkDests method..... **18-10**
sharedNames member..... **16-2**
sharedSymbol member..... **16-7**
signalCopy method **18-15**
SimAction class..... 4-9
SimControl class..... 4-1, **4-8**, 4-9
simplify method..... **12-2**
sin function **12-1**
size method..... **6-7**, **6-12**
sleepUntil method..... **12-5**
slowGet method..... **6-13**
slowPut method **6-13**
sourcePort method..... **6-12**
spliceClust 18-5
SpreadandCollectstars 15-14, 15-15
sqrt function..... **12-1**
src method **16-9**
Stack class **1-7**
Star class..... 3-1, **3-4**, 4-8
starDataStruct method **18-7**
starSymbol member..... **16-5**
State class 3-1, **9-1**
staticBuf() method..... **18-3**
staticBuffering 18-11
StringArrayState class **9-6**
StringList class **11-1**, 16-1, 16-2
StringState class..... **9-5**
subsetOf method..... **12-3**
substChar method **16-5**
subtract method **12-4**
Sub-Universecreation 15-4
sumUp..... **5-2**
switched method..... **16-14**
switchGeo method..... **16-13**
switchGeodesic..... 18-3
symbol generation **16-5**
symbol method **16-6**, **16-7**
symbolCounter method **16-8**
SymbolList class..... **16-5**, **16-6**
SymbolStack class..... **16-7**

T

tail method..... **6-10**
targ method..... **18-10**
Target..... 15-7
Target class..... 3-1, 3-4, 4-1
targetName **3-12**
targetNestedSymbol member **16-7**
timeMark **5-4**
TimeVal class **12-4**
ToEventHorizo **5-4**
ToEventHorizon **5-4**
Tokenizer class **9-3**, **11-5**
tokenNew..... **5-4**
transferDat **5-5**
transferData **5-5**
translateAliases method..... **6-3**
type **3-11**

type method **6-2**, **6-14**
typePort method **6-2**

U

UniProcessor class 15-6, **15-11**
unique symbol generation **16-5**
UniqueStringList class **16-2**
UniqueSymbolGeneration 16-5
Universe **3-11**
Universe class 3-1, **3-11**, 5-1
useStaticBuffering method **18-13**
utility functions 9-5
utilityfunctions 6-9

W

wantStaticBuffering method **18-13**
wasteFactor method **16-10**
whereEmbedded method **16-13**
Williamson, M. C. 16-1
Wormhole **5-1**
wormhole **5-4**
wormIn **18-9**, 18-13
wormInputCode method **18-12**
wormLoadCode 18-12
wormLoadCode method **18-12**, **18-14**
WormMultiPor **5-5**
wormOut **18-9**, 18-13
wormOutputCode method **18-12**
wrapup **3-3**, **3-6**, **3-12**
wrapup method **18-12**
writeCode method **18-13**

X

XGraph class **11-7**
XHistogram class **11-8**
Xiong, Y. 6-1